

AUTHOR INDEX

Abraham, F., J.C. Boivin, G. Mairesse and G. Nowogrocki, The BIMEVOX series: A new family of high performances oxide ion conductors	40/41 (1990)	934
Abrahams, I., see P.G. Bruce	40/41 (1990)	293
Adachi, G., see H. Aono	40/41 (1990)	38
Adachi, H., see T. Matsushima	40/41 (1990)	825
Ado, K., see Y. Saito	40/41 (1990)	34
Ado, K., see J. Mayne	40/41 (1990)	67
Ado, K., see Y. Saito	40/41 (1990)	72
Ado, K., see H. Kageyama	40/41 (1990)	350
Aka, G., B. Dunn, J. Foreman and G.C. Farrington, Crystal growth and transport properties of sodium β and β'' -aluminogallates	40/41 (1990)	83
Akamatsu, Y., see M. Tatsumisago	40/41 (1990)	828
Amano, E., see J.T.S. Irvine	40/41 (1990)	220
An, S., T. Zhou, W. Wu and Q. Liu, Investigation of electronic conductivity and thermal shock stability for MgO partially stabilized zirconia	40/41 (1990)	750
Angell, C.A., see M. Tatsumisago	40/41 (1990)	828
Aniya, M., H. Okazaki and M. Kobayashi, Liquid-like model for the ultrasonic at- tenuation in superionic conductors	40/41 (1990)	209
Aniya, M. and M. Kobayashi, Collective motion in fast ion conductor superlattices	40/41 (1990)	216
Antonio, G.A., see P. Vashishta	40/41 (1990)	175
Aoki, S., see Y. Yamaguchi	40/41 (1990)	628
Aono, H., E. Sugimoto, Y. Sadaoka, N. Imanaka and G. Adachi, Ionic conductivity and sinterability of lithium titanium phosphate system	40/41 (1990)	38
Arai, H., see T. Inoue	40/41 (1990)	407
Arai, H., see T. Setoguchi	40/41 (1990)	502
Arashi, H., H. Naitoh and M. Ishigame, Temperature dependence of XANES in CeO_2- $\text{Tb}_2\text{O}_{3.5}$ mixed conductor	40/41 (1990)	539
Asai, T., see Y. Saito	40/41 (1990)	34
Asai, T., see J. Mayne	40/41 (1990)	67
Asai, T., see H. Kageyama	40/41 (1990)	350
Asano, M., see J. Kuwano	40/41 (1990)	472
Atake, T., H. Kawaji and T. Nakamura, Heat capacity of two-dimensional mixed conductor NaCrS_2	40/41 (1990)	572
Atlung, S., see B. Zachau-Christiansen	40/41 (1990)	580
Aukselis, S., see A. Orliukas	40/41 (1990)	158
Awano, T., M. Ikezawa, T. Matsuyama and H. Yamaoka, Color centers in superionic conductors of RbAg_4I_3 and KAg_4I_3	40/41 (1990)	324
Bach, S., see J.P. Pereira-Ramos	40/41 (1990)	970
Badwal, S.P.S., see A.E. Hughes	40/41 (1990)	312
Badwal, S.P.S. and J. Drennan, Evaluation of conducting properties of yttria-zir- conia wafers	40/41 (1990)	869

Badwal, S.P.S. and N. Nardella, Polarization studies on solid electrolyte cells with a fully automated galvanostatic current interruption technique	40/41 (1990) 878
Badwal, S.P.S., F.T. Ciacchi and R.H.J. Hannink, Relationship between phase stability and conductivity of yttria tetragonal zirconia	40/41 (1990) 882
Baffier, N., see J.P. Pereira-Ramos	40/41 (1990) 970
Bakiewicz, J., see I.C. Vinke	40/41 (1990) 886
Balaya, P. and C.S. Sunandana, ESR of Ag^{2+} in 60AgI-30Ag ₂ O-10B ₂ O ₃ glass	40/41 (1990) 700
Bandaranayake, P.W.S.K., see M.A.K.L. Dissanayake	40/41 (1990) 23
Bandaranayake, P.W.S.K. and B.-E. Mellander, Phase transitions and ionic conductivity of the Na ₂ SO ₄ -MgSO ₄ system	40/41 (1990) 31
Bando, Y., see K. Kamigaki	40/41 (1990) 815
Belzner, A., U. Bischler, S. Crouch-Baker, T.M. Gür, G. Lucier, M. Schreiber and R.A. Huggins, Recent results on mixed conductors containing hydrogen or deuterium	40/41 (1990) 519
Belzner, A., T.M. Gür and R.A. Huggins, Measurement of the chemical diffusion coefficient of oxygen in mixed conductors by a solid state electrochemical method	40/41 (1990) 535
Bentzen, J.J. and H. Schwartzbach, Electrical conductivity, structure, and thermal expansion behaviour of ZrO ₂ -CeO ₂ -Gd ₂ O ₃ -Y ₂ O ₃ solid solutions	40/41 (1990) 942
Besenthal, J.O., M. Hess and P. Komenda, Dimensionally stable Li-alloy electrodes for secondary batteries	40/41 (1990) 525
Bhoga, S.S. and K. Singh, Influence of LiX (X=F, Cl and Br) addition on the ionic conductivity of 6Li ₂ SO ₄ :4Li ₂ CO ₃ eutectic system	40/41 (1990) 27
Bhoga, S.S., see K. Singh	40/41 (1990) 1025
Bilde-Sørensen, J.B., see F.W. Poulsen	40/41 (1990) 947
Billaud, D., see C. Hérould	40/41 (1990) 985
Bischler, U., see A. Belzner	40/41 (1990) 519
Boivin, J.C., see M. Omari	40/41 (1990) 929
Boivin, J.C., see F. Abraham	40/41 (1990) 934
Boivin, J.C., see C. Follet-Houttemane	40/41 (1990) 938
Boris, A.V., S.I. Bredikhin and N.N. Kovaleva, Investigations of the near electrode regions in superionic RbAg ₄ I ₅ crystals	40/41 (1990) 266
Boris, A.V. and S.I. Bredikhin, Interface charge transport and the electronic conductivity of RbAg ₄ I ₅ solid electrolytes	40/41 (1990) 269
Boris, A.V. and S.I. Bredikhin, Photo EMF in RbAg ₄ I ₅ solid electrolyte	40/41 (1990) 272
Börjesson, L., see S.H. Chung	40/41 (1990) 279
Börjesson, L. and W.S. Howells, Intermediate range structural ordering in AgI doped superionic glasses: A neutron diffraction study	40/41 (1990) 702
Boukamp, B.A., see I.C. Vinke	40/41 (1990) 886
Braun, M., see K.W. Kehr	40/41 (1990) 167
Bredikhin, S.I., N.N. Kovaleva and N.V. Lichkova, The effect of point defects on the ionic conductivity of RbAg ₄ I ₅ solid electrolytes	40/41 (1990) 180
Bredikhin, S.I., see A.V. Boris	40/41 (1990) 266
Bredikhin, S.I., see A.V. Boris	40/41 (1990) 269
Bredikhin, S.I., see A.V. Boris	40/41 (1990) 272
Breiter, M.W., see H. Durakpasa	40/41 (1990) 115
Breiter, M.W., see A. Pinkowski	40/41 (1990) 822
Bruce, P.G., I. Abrahams and A.R. West, Defect clustering in LISICON solid electrolytes	40/41 (1990) 293

Bruce, P.G. and C.A. Vincent, Transport in associated polymer electrolytes	40/41 (1990)	607
Bunde, A., see W. Dieterich	40/41 (1990)	184
Bunde, A., P. Maass, H.E. Roman, W. Dieterich and J. Petersen, Transport on disordered structures: Effect of long range interactions	40/41 (1990)	187
Bunde, A., H.E. Roman and S. Havlin, Time dependent correlation functions of diffusing particles in random systems	40/41 (1990)	192
Burggraaf, A.J., see I.C. Vinke	40/41 (1990)	886
Cao, Q.J., see T. Itoh	40/41 (1990)	620
Careem, M.A., see M.A.K.L. Dissanayake	40/41 (1990)	23
Catti, M., C.M. Mari, E. Cazzanelli and G. Mariotto, Raman study and electrical conductivity of HTaMO ₄ ·H ₂ O (M=W and Te)	40/41 (1990)	900
Cazzanelli, E., see G. Mariotto	40/41 (1990)	334
Cazzanelli, E., see M. Catti	40/41 (1990)	900
Chaminade, J.P., see C. Delmas	40/41 (1990)	560
Champarnaud-Mesjard, J.C., see C. Follet-Houttemane	40/41 (1990)	938
Chandra, S. and A. Kumar, Electrogravimetric analysis - a potential technique for studying proton conducting hydrates	40/41 (1990)	255
Chandra, S. and S.A. Hashmi, Humidity sensor using a proton conductor ammonium paratungstate pentahydrate (APT-5H ₂ O)	40/41 (1990)	460
Chandra, S., S.A. Hashmi and G. Prasad, Studies on ammonium perchlorate doped polyethylene oxide polymer electrolyte	40/41 (1990)	651
Chandra, S. and A. Kumar, Proton conduction in some solid hydrates and KDP-ferroelectric family materials	40/41 (1990)	863
Chang, S.H., see C. Delmas	40/41 (1990)	560
Chang, S.H., see C. Delmas	40/41 (1990)	563
Charalwar, S.G., see V.K. Deshpande	40/41 (1990)	689
Chen, L., C. Sheng, R. Xue, M. Dong and Y. Chen, Study on EC Ni-O thin film and a new device	40/41 (1990)	495
Chen, L., Y. Xiao, S. Yang, R. Xue, L. Wang and L. Xin, Physical properties of a-FIC in AgI-Ag ₂ O-P ₂ O ₅ system during crystallization process	40/41 (1990)	705
Chen, L., see X. Huang	40/41 (1990)	807
Chen, Y., see L. Chen	40/41 (1990)	495
Chia, W.T., see B.V.R. Chowdari	40/41 (1990)	684
Chiodelli, G., see K. Singh	40/41 (1990)	714
Chirkina, K.P., see L.N. Demianets	40/41 (1990)	836
Chowdari, B.V.R. and K. Radhakrishnan, Thin film studies on Li ₂ O·P ₂ O ₅ ·Nb ₂ O ₅ based fast ion conducting glasses	40/41 (1990)	680
Chowdari, B.V.R., K.L. Tan, W.T. Chia and R. Gopalakrishnan, Thermal, electrical and structural characterization of Li ₂ O·P ₂ O ₅ ·MoO ₃ glasses	40/41 (1990)	684
Chowdari, B.V.R., R. Gopalakrishnan and K.L. Tan, ESCA studies of fast ion conducting glasses	40/41 (1990)	709
Choy, J.H., see C. Delmas	40/41 (1990)	563
Chung, S.H., K.R. Jeffrey, J.R. Stevens and L. Börjesson, Non-exponential dynamics of silver ions in silver iodide doped silver borate glasses through NMR	40/41 (1990)	279
Ciacchi, F.T., see S.P.S. Badwal	40/41 (1990)	882
Conflant, P., see M. Omari	40/41 (1990)	929

Croce, F., S. Passerini, A. Selvaggi and B. Scrosati, Properties and applications of lithium ion-conducting polymers	40/41 (1990)	375
Crouch-Baker, S., see A. Beizner	40/41 (1990)	519
Dekeyser, Ja., see F. De Schutter	40/41 (1990)	754
Deknock, R., see F. De Schutter	40/41 (1990)	754
Delmas, C., S.H. Chang, M. Menetrier, K.S. Suh, J. Sengas and J.P. Chaminade, Lithium intercalation in $\text{LiW}_3\text{O}_9\text{F}$: An electrochemical and NMR study	40/41 (1990)	560
Delmas, C., S.H. Chang, D.Y. Noh and J.H. Choy, FeMoO_4Cl , a 2-D-structure for amine intercalation, a 3-D-framework in alkali metal intercalated compounds	40/41 (1990)	563
Demianets, L.N., B.P. Sobolev and K.P. Chirkina, Verneuil technique for crystal growth of high teperature superconducting Bi-Sr-Ca-Cu -oxides	40/41 (1990)	836
De Schutter, F., Ja. Dekeyser, R. Deknock, R. Jacobs and H. Tas, Surface conditioning of a sodium β -alumina based lithium sensor for lithium-lead blends	40/41 (1990)	754
Deshpande, V.K., S.G. Charalwar and K. Singh, Electrical conductivity of $\text{Li}_2\text{O}\cdot\text{B}_2\text{O}_3\cdot\text{P}_2\text{O}_5\cdot\text{Li}_2\text{SO}_4$ glass system	40/41 (1990)	689
De Vries, K.J., see I.C. Vinke	40/41 (1990)	886
Dieterich, W., J. Petersen, A. Bunde and H.E. Roman, Diffusion in a charged lattice gas - a Monte Carlo study	40/41 (1990)	184
Dieterich, W., see A. Bunde	40/41 (1990)	187
Dieterich, W., Recent developments in the theory of solid electrolytes	40/41 (1990)	509
Dissanayake, M.A.K.L., M.A. Careem, P.W.S.K. Bandaranayake, R.P. Gunawardane and C.N. Wijesekara, Electrical conductivity of the $\text{Li}_2\text{SO}_4\text{-Li}_2\text{WO}_4$ system	40/41 (1990)	23
Doi, A., Comment on Warburg impedance and related phenomena	40/41 (1990)	262
Doi, K., see A. Yasuda	40/41 (1990)	476
Dokiya, M., see N. Sakai	40/41 (1990)	394
Dokiya, M., see H. Yokokawa	40/41 (1990)	398
Dokiya, M., see T. Kawada	40/41 (1990)	402
Dong, M., see L. Chen	40/41 (1990)	495
Dorner, G., see H. Durakpasa	40/41 (1990)	115
Drache, M., see M. Omari	40/41 (1990)	929
Drennan, J., see S.P.S. Badwal	40/41 (1990)	869
Dunn, B., see J.O. Thomas	40/41 (1990)	63
Dunn, B., see G. Aka	40/41 (1990)	83
Durakpasa, H., G. Dorner and M.W. Breiter, Impedance studies of the system Pt/ $\text{Pb } \beta''\text{-alumina/Pt}$	40/41 (1990)	115
Ebbsjö, I., see P. Vashishta	40/41 (1990)	175
Eguchi, K., see T. Inoue	40/41 (1990)	407
Eguchi, K., see T. Setoguchi	40/41 (1990)	502
Emura, S., see K. Koto	40/41 (1990)	288
Emura, S., see T. Moriga	40/41 (1990)	357
Esaka, T., T. Fujii, K. Suwa and H. Iwahara, Electrical conduction in $\text{CaTi}_{1-x}\text{Fe}_x\text{O}_{3-\delta}$ under low oxygen pressure and its application for hydrogen production	40/41 (1990)	544
Farrington, G.C., see C. Lane	40/41 (1990)	53
Farrington, G.C., see J.O. Thomas	40/41 (1990)	63

Farrington, G.C., see G. Aka	40/41 (1990)	83
Farrington, G.C., see Å. Wendsjö	40/41 (1990)	659
Farrington, G.C., see H. Yang	40/41 (1990)	663
Follet-Houttemane, C., J.C. Boivin, J.C. Champarnaud-Mesjard, D. Mercurio and B. Frit, Structural and single crystal conductivity characterization of fluorine pathways in a (Bi, Pb)(O, F) ionic conductor	40/41 (1990)	938
Foreman, J., see G. Aka	40/41 (1990)	83
Franceschetti, D.R., A model for the origin of the constant-phase-angle and related nonclassical admittance functions based on fractional Brownian motion	40/41 (1990)	196
Frit, B., see C. Follet-Houttemane	40/41 (1990)	938
Fuchida, R., see N. Machida	40/41 (1990)	589
Fujii, T., see T. Esaka	40/41 (1990)	544
Fujiki, Y., M. Watanabe, T. Sasaki, T. Mitsuhashi, Y. Onoda, S. Yoshikado, T. Ohachi and I. Taniguchi, Flux growth of $A_x [Ga_8Ga_{8+x}Ti_{16-x}O_{56}]$ ($A=K, Rb, Cs$) single crystals	40/41 (1990)	136
Fujiki, Y., see M. Watanabe	40/41 (1990)	139
Fujiki, Y., see S. Yoshikado	40/41 (1990)	142
Fujiki, Y., see Y. Onoda	40/41 (1990)	147
Fujiki, Y., see M. Ishii	40/41 (1990)	150
Fujiwara, R., see M. Mochizuki	40/41 (1990)	746
Fujiwara, R., see T. Ogura	40/41 (1990)	779
Funke, K. and R. Hoppe, Jump-relaxation model yields Kohlrausch-Williams-Watts behaviour	40/41 (1990)	200
Funke, K., T. Kantimm, T. Maue, A.K. Shukla and D. Zurwellen, Hopping and non-hopping localized ionic motion: β -AgI and β -Ag ₃ Si	40/41 (1990)	275
Furuta, C., T. Nagatsuka, K. Iwasaki, N. Saito and M. Sasabe, Development of an electrochemical sensor for determination of Si contents in molten metal	40/41 (1990)	776
Garcia, A., G. Torres-Treviño and A.R. West, New lithium ion conductors based on the γ -LiAlO ₂ structure	40/41 (1990)	13
Ghanbari-Ahari, K., see F.W. Poulsen	40/41 (1990)	947
Gogulamurali, N., S.A. Suthanthiraraj and P. Maruthamuthu, Discharge characteristics of Ag-E/E/PI-B cells with various cathodes (where E: 87 m/o AgI-13 m/o $(C_2H_5)_4NI$ and PI: 2 phenothiazine-3I ₂)	40/41 (1990)	993
Gomyo, K., I. Sakaguchi, Y. Shin-ya and M. Iwase, Electrochemical silicon sensor equipped with auxiliary electrode, ZrO ₂ +ZrSiO ₂	40/41 (1990)	773
Gopalakrishnan, R., see B.V.R. Chowdari	40/41 (1990)	684
Gopalakrishnan, R., see B.V.R. Chowdari	40/41 (1990)	709
Göpel, W., see H.-D. Wiemhöfer	40/41 (1990)	421
Göpel, W., see J. Maier	40/41 (1990)	463
Göpel, W., Atomistic understanding of sensor mechanisms: Spectroscopic studies at prototype electronic and ionic conductors	40/41 (1990)	1009
Goto, K.S., M. Sasabe, Y. Iguchi, M. Iwase and M. Moritani, Collaborate research activities of sensor sub-committee at J.S.P.S.	40/41 (1990)	758
Goto, K.S., M. Sasabe, Y. Iguchi, M. Iwase and T. Onou-ye, Solid state sensors incorporating auxillary electrode for rapid determinations of chromium in molten iron	40/41 (1990)	770

Granéli, B., see B.-E. Mellander	40/41 (1990) 162
Gray, F.M., Conductance and conducting species in amorphous polyether-lithium perchlorate systems at very low salt concentration	40/41 (1990) 637
Greenblatt, M., P.P. Tsai, T. Kodama and S. Tanase, Humidity sensor with sintered β -Ca(PO ₃) ₂ for high temperature use	40/41 (1990) 444
Gunawardane, R.P., see M.A.K.L. Dissanayake	40/41 (1990) 23
Gundusharma, U.M., V.G. Jois and E.A. Secco, New series of UO ₂ SO ₄ -based compounds, (Na ₂ XO ₄) _n UO ₂ SO ₄ , exhibiting fast Na ⁺ ion conductivity in glass and crystal	40/41 (1990) 676
Gür, T.M., see A. Belzner	40/41 (1990) 519
Gür, T.M., see A. Belzner	40/41 (1990) 535
Hagenmuller, P., Chemical bonding and intercalation processes	40/41 (1990) 3
Hamwi, A., see R. Yazami	40/41 (1990) 982
Haneda, H., see M.C. Kim	40/41 (1990) 239
Hannink, R.H.J., see S.P.S. Badwal	40/41 (1990) 882
Harke, S., see H.-D. Wiemhöfer	40/41 (1990) 433
Hartmanová, M., see F.W. Poulsen	40/41 (1990) 947
Hasegawa, M., see R. Kanno	40/41 (1990) 576
Hashmi, S.A., see S. Chandra	40/41 (1990) 460
Hashmi, S.A., see S. Chandra	40/41 (1990) 651
Hattori, M., see S. Yamanaka	40/41 (1990) 43
Hattori, T., H. Okamura, K. Komuro and A. Mitsuishi, Raman scattering in Rb-Ba β -alumina	40/41 (1990) 99
Hattori, T., see H. Okamura	40/41 (1990) 118
Havlin, S., see A. Bunde	40/41 (1990) 192
Hérold, C., R. Yazami and D. Billaud, Electrochemical doping of polyparaphenylene with alkali metals in solid state cells	40/41 (1990) 985
Hervieu, M., see B. Raveau	40/41 (1990) 785
Hess, M., see J.O. Besenhard	40/41 (1990) 525
Hirata, K., see K. Kamigaki	40/41 (1990) 815
Hirohashi, R., see N. Kobayashi	40/41 (1990) 491
Hirokawa, K., see K. Wakamura	40/41 (1990) 331
Hobo, T., see K. Nagashima	40/41 (1990) 480
Hoppe, R., see K. Funke	40/41 (1990) 200
Horiuchi, S., K. Shoda, M. Tsutsumi and Y. Onoda, High T_c Bi-based superconductive oxides obtained by doping fluorines	40/41 (1990) 832
Hoshikawa, T., see T. Matsui	40/41 (1990) 996
Hoshino, S., see T. Sakuma	40/41 (1990) 337
Howells, W.S., see L. Börjesson	40/41 (1990) 702
Huang, H.H., see S. Shin	40/41 (1990) 910
Huang, X., L. Chen and Y. Huang, Thermodynamic study of O-T phase transition in YBa ₂ Cu ₃ O _{7-x}	40/41 (1990) 807
Huang, Y., see X. Huang	40/41 (1990) 807
Huanosta, A., see J.T.S. Irvine	40/41 (1990) 220
Huggins, R.A., see A. Belzner	40/41 (1990) 519
Huggins, R.A., see A. Belzner	40/41 (1990) 535

Hughes, A.E. and S.P.S. Badwal, Impurity segregation study at the surface of yttria-zirconia electrolytes by XPS	40/41 (1990)	312
Huq, R., see H. Yang	40/41 (1990)	663
Ichikawa, Y., see T. Matsushima	40/41 (1990)	825
Iguchi, E. and Y. Yonezawa, Effects of repulsive interactions on bondings in $\text{YBa}_2\text{Cu}_3\text{O}_x$	40/41 (1990)	795
Iguchi, Y., see S. Yamaguchi	40/41 (1990)	87
Iguchi, Y., see K. Terabe	40/41 (1990)	111
Iguchi, Y., see K.S. Goto	40/41 (1990)	758
Iguchi, Y., see K.S. Goto	40/41 (1990)	770
Iijima, K., see K. Kamigaki	40/41 (1990)	815
Ikeda, S., Y. Kanbayashi, K. Momura, A. Kasai and K. Ito, Solid electrolytes with multivalent cation conduction (2) zinc ion conduction in Zn-Zr-PO_4 system	40/41 (1990)	79
Ikezawa, M., see T. Awano	40/41 (1990)	324
Ikuma, Y., Y. Tsubaki, Y. Nakao, Y. Yokogawa and M. Yoshimura, Oxygen diffusion in the fluorite-related phases of $\text{Y}_2\text{O}_3-\text{Ta}_2\text{O}_5$ and $\text{Ho}_2\text{O}_3-\text{Ta}_2\text{O}_5$ systems	40/41 (1990)	258
Imai, A., see S. Yamaguchi	40/41 (1990)	87
Imai, A., see K. Terabe	40/41 (1990)	111
Imai, A., see K. Ishikawa	40/41 (1990)	612
Imanaka, N., see H. Aono	40/41 (1990)	38
Ingram, M.D., M.A. Mackenzie, W. Müller and M. Torge, Structural granularity and ionic conduction mechanism in glass	40/41 (1990)	671
Inoue, H., see T. Kudo	40/41 (1990)	567
Inoue, T., K. Eguchi, T. Setoguchi and H. Arai, Cathode and anode materials and the reaction kinetics for the solid oxide fuel cell	40/41 (1990)	407
Irvine, J.T.S., A.R. West, E. Amano, A. Huanosta and R. Valenzuela, Characterisation of magnetic materials by impedance spectroscopy	40/41 (1990)	220
Irvine, J.T.S. and A.R. West, $\text{Ca}_{12}\text{Al}_{14}\text{O}_{33}$ solid electrolytes doped with zinc and phosphorus	40/41 (1990)	896
Ishida, M., see N. Nakagawa	40/41 (1990)	411
Ishigame, M., see H. Yugami	40/41 (1990)	316
Ishigame, M., see H. Arashi	40/41 (1990)	539
Ishigame, M., see S. Shin	40/41 (1990)	910
Ishii, M., Y. Fujiki and T. Ohsaka, Raman scattering studies of the one-dimensional ionic conductors $K-B$ -priderites ($B=\text{Zn, Ga}$) and potassium gallotitanogallate	40/41 (1990)	150
Ishii, T., see K. Takahashi	40/41 (1990)	224
Ishii, T. and T. Ishikawa, Theory of the mixed alkali effects in the β'' -alumina	40/41 (1990)	227
Ishii, T., Relaxons in superionic conductors	40/41 (1990)	244
Ishii, T., see A. Yoshiasa	40/41 (1990)	341
Ishii, T., see H. Maeda	40/41 (1990)	345
Ishikawa, H., see N. Kuriyama	40/41 (1990)	906
Ishikawa, K., T. Sugihara, Y. Oshima, T. Kato and A. Imai, Li ion conductive polymer electrolyte based on polyglycerine	40/41 (1990)	612
Ishikawa, T., see T. Ishii	40/41 (1990)	227
Ishizaka, H., see H. Ohno	40/41 (1990)	655
Ito, H., see K. Koto	40/41 (1990)	288

Ito, K., see S. Ikeda	40/41 (1990) 79
Ito, S., see S. Nariki	40/41 (1990) 95
Ito, S., see H. Kawase	40/41 (1990) 448
Itoh, T., K. Koseki, K. Mukaida, K. Kohno, Q.J. Cao and O. Yamamoto, Solid state ionic behavior of liquid electrolytes immobilized in a microporous membrane	40/41 (1990) 620
Ivanov-Shits, A.K. and S.E. Sigaryov, Ionic conductivity of $\text{Na}_{8-x}\text{M}^x\text{P}_2\text{O}_9$ -type compounds	40/41 (1990) 76
Iwahara, H., see T. Esaka	40/41 (1990) 544
Iwahara, H., see S. Shin	40/41 (1990) 910
Iwahara, H., see T. Yajima	40/41 (1990) 914
Iwasaki, K., see C. Furuta	40/41 (1990) 776
Iwase, M., see K.S. Goto	40/41 (1990) 758
Iwase, M., see K.S. Goto	40/41 (1990) 770
Iwase, M., see K. Gomyo	40/41 (1990) 773
Iwata, T., see N. Sakai	40/41 (1990) 394
Iwata, T., see T. Kawada	40/41 (1990) 40/412
Iyetomi, H., see P. Vashishta	40/41 (1990) 175
Jacobs, R., see F. De Schutter	40/41 (1990) 754
Jacobsen, T., see B. Zachau-Christiansen	40/41 (1990) 580
Jacobsen, T., see K. West	40/41 (1990) 585
Janke, D., Recent development of solid ionic sensors to control iron and steel bath composition	40/41 (1990) 764
Jeffrey, K.R., see S.H. Chung	40/41 (1990) 279
Jois, V.G., see U.M. Gundusharma	40/41 (1990) 676
Jones, G.K., see Å. Wendsjö	40/41 (1990) 659
Julian, P.M., see S. Skaarup	40/41 (1990) 1021
Kaga, Y., Y. Ohno, K. Tsukamoto, F. Uchiyama, M.J. Lain and T. Nakajima, Relationships between the gas permeabilities and the microstructures of plasma sprayed oxide layers	40/41 (1990) 1000
Kaga, Y., see K. Tsukamoto	40/41 (1990) 1003
Kageyama, H., see Y. Saito	40/41 (1990) 34
Kageyama, H., see J. Mayne	40/41 (1990) 67
Kageyama, H., N. Kamijo, T. Asai, Y. Saito, K. Ado and O. Nakamura, XAFS study of NASICON-related compounds, $\text{Na}_3\text{Zr}_{0.5}\text{Co}_{0.5}\text{FeP}_3\text{O}_{12}$ and $\text{Na}_3\text{Zr}_{0.5}\text{Fe(II)}_{0.5}\text{Fe(III)}\text{P}_3\text{O}_{12}$	40/41 (1990) 350
Kakihana, M., S. Schantz, L.M. Torell and J.R. Stevens, Dissociated ions and ion-ion interactions in poly(ethylene oxide) based NaCF_3SO_3 complexes	40/41 (1990) 641
Kakihana, M., see S. Schantz	40/41 (1990) 645
Kalia, R.K., see P. Vashishta	40/41 (1990) 175
Kambe, S., T. Matsuoka, M. Takahashi, M. Kawai and T. Kawai, Effect of Pb substitution on the superconductive properties in $n=2$ and 3 phases of $\text{Bi}_{2-2x}\text{Pb}_{2x}\text{Sr}_2\text{Ca}_{n-1}\text{Cu}_n\text{O}_y$	40/41 (1990) 843
Kamigaki, K., H. Terauchi, T. Terashima, Y. Bando, K. Iijima, K. Yamamoto and K. Hirata, X-ray study on ultra-thin $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$ single crystal film in situ grown by an activated reactive evaporation method	40/41 (1990) 815

Kamijo, N., see H. Kageyama	40/41 (1990) 350
Kanamaru, F., see K. Koto	40/41 (1990) 288
Kanamaru, F., see T. Moriga	40/41 (1990) 357
Kanamaru, F., see S. Kikkawa	40/41 (1990) 553
Kanamaru, K., see N. Miura	40/41 (1990) 452
Kanashiro, T., see Y. Michihiro	40/41 (1990) 205
Kanashiro, T., Y. Kishimoto, T. Ohno and Y. Michihiro, NMR study of mobile ions in Cu _x Se and Cu _x S	40/41 (1990) 308
Kanazawa, T., see K. Yamashita	40/41 (1990) 48
Kanazawa, T., see K. Yamashita	40/41 (1990) 918
Kanbara, T., K. Takada, Y. Yamamura and S. Kondo, Photo-rechargeable solid state battery	40/41 (1990) 955
Kanbara, T., see K. Takada	40/41 (1990) 988
Kanbayashi, Y., see S. Ikeda	40/41 (1990) 79
Kanehori, K., see N. Sugii	40/41 (1990) 819
Kanno, R., Y. Kawamoto, Y. Takeda, M. Hasegawa and O. Yamamoto, Structure and lithiation mechanism of the spinel, LiCuVO ₄	40/41 (1990) 576
Kantimm, T., see K. Funke	40/41 (1990) 275
Kasai, A., see S. Ikeda	40/41 (1990) 79
Katayama, K., see K. Yamashita	40/41 (1990) 918
Kato, A., see N. Kuriyama	40/41 (1990) 906
Kato, M., see J. Kuwano	40/41 (1990) 472
Kato, T., see K. Ishikawa	40/41 (1990) 612
Kato, Y., M. Watanabe, K. Sanui and N. Ogata, Ionic transport number of network PEO electrolytes	40/41 (1990) 632
Kawada, T., see N. Sakai	40/41 (1990) 394
Kawada, T., see H. Yokokawa	40/41 (1990) 398
Kawada, T., N. Sakai, H. Yokokawa, M. Dokiya, M. Mori and T. Iwata, Structure and polarization characteristics of solid oxide fuel cell anodes	40/41 (1990) 402
Kawai, M., see S. Kambe	40/41 (1990) 843
Kawai, T., see S. Kambe	40/41 (1990) 843
Kawaiji, H., see T. Atake	40/41 (1990) 572
Kawamoto, Y., see R. Kanno	40/41 (1990) 576
Kawase, H., S. Ito, S. Nariki, N. Koura and N. Yoneda, Humidity sensitivity of β -alumina type ferrite films	40/41 (1990) 448
Kehr, K.W. and M. Braun, Diffusivity and mobility of lattice gases in lattices with randomly blocked sites	40/41 (1990) 167
Kezionis, A., see A. Orliukas	40/41 (1990) 158
Kezionis, A., see R. Vaitkus	40/41 (1990) 922
Kikkawa, S., see T. Moriga	40/41 (1990) 357
Kikkawa, S., M. Miyazaki, Y. Liu and F. Kanamaru, Deposition process and some characteristics of TiS ₂ prepared by plasma CVD	40/41 (1990) 553
Kikuchi, Y., see N. Kumagai	40/41 (1990) 978
Kim, M.C., S.J. Park, H. Haneda, J. Tanaka and S. Shirasaki, High temperature electrical conductivity of La _{1-x} Sr _x FeO _{3-d} ($x > 0.5$)	40/41 (1990) 239
Kimura, K., T. Suzuki and M. Yokoyama, Photo-induced ionic conductivity switching in polymer composite film with azobenzene derivative	40/41 (1990) 666

Kishimoto, A., see T. Kudo	40/41 (1990) 567
Kishimoto, A., T. Nanba and T. Kudo, Spin-coated $Ta_2O_5 \cdot nH_2O$ films derived from peroxy poly-tantalate solution	40/41 (1990) 903
Kishimoto, Y., see Y. Michihiro	40/41 (1990) 205
Kishimoto, Y., see T. Kanashiro	40/41 (1990) 308
Kitao, M., see S. Yamada	40/41 (1990) 487
Kjær, J. and E. Skou, The effect of adsorbates on the ionic conductivity of zeolites	40/41 (1990) 121
Knab, G.G., see F.W. Poulsen	40/41 (1990) 947
Kobayashi, M., see M. Aniya	40/41 (1990) 209
Kobayashi, M., see T. Tomoyose	40/41 (1990) 213
Kobayashi, M., see M. Aniya	40/41 (1990) 216
Kobayashi, M., T. Tomari, F. Tachibana and H. Okazaki, Caterpillar motion in α -Ag ₂ Te	40/41 (1990) 300
Kobayashi, M., H. Shimojo, F. Tachibana and H. Okazaki, Ionic motion in super-ionic superlattice	40/41 (1990) 303
Kobayashi, N., R. Hirohashi, H. Ohno and E. Tsuchida, Electrochromic characteristics for all solid state ECD composed of polymer electrolytes	40/41 (1990) 491
Kobayashi, N., see H. Ohno	40/41 (1990) 655
Kodama, T., see M. Greenblatt	40/41 (1990) 444
Koepke, J., see Y. Ueshima	40/41 (1990) 232
Kohno, K., see T. Itoh	40/41 (1990) 620
Koide, K., see T. Yajima	40/41 (1990) 914
Koike, A., see H. Yugami	40/41 (1990) 316
Kojima, A., see Y. Michihiro	40/41 (1990) 205
Komenda, P., see J.O. Besenhard	40/41 (1990) 525
Komuro, K., see T. Hattori	40/41 (1990) 99
Kondo, S., see T. Kanbara	40/41 (1990) 955
Kondo, S., see K. Takada	40/41 (1990) 988
Kontoulis, I., see D.J. Vischjager	40/41 (1990) 810
Koseki, K., see T. Itoh	40/41 (1990) 620
Koto, K., H. Ito, F. Kanamaru, S. Emura and A. Yoshiasa, EXAFS study of the fluorite-type compounds in the system Bi ₂ O ₃ -Gd ₂ O ₃	40/41 (1990) 288
Koto, K., see A. Yoshiasa	40/41 (1990) 341
Koto, K., see H. Maeda	40/41 (1990) 345
Koura, N., see H. Kawase	40/41 (1990) 448
Kovaleva, N.N., see S.I. Bredikhin	40/41 (1990) 180
Kovaleva, N.N., see A.V. Boris	40/41 (1990) 266
Kozawa, K., see S. Nariki	40/41 (1990) 95
Kudo, T., A. Kishimoto, J. Oi and H. Inoue, Synthesis of new WO ₃ -based complex oxides with tunnels by a chemical mixing process using peroxy-polytungstates	40/41 (1990) 567
Kudo, T., see A. Kishimoto	40/41 (1990) 903
Kudo, Y., see M. Watanabe	40/41 (1990) 139
Kumagai, N., Y. Kikuchi and K. Tanno, Kinetic and structural characteristics of niobium vanadium oxide electrodes for secondary lithium batteries	40/41 (1990) 978
Kumar, A., see S. Chandra	40/41 (1990) 255
Kumar, A., see S. Chandra	40/41 (1990) 863
Kuo, C., see X. Li	40/41 (1990) 236

Kuriyama, N., T. Sakai, H. Miyamura, A. Kato and H. Ishikawa, High conductivity and phase transitions of tetramethylammonium hydroxide pentahydrate, $(CH_3)_4NOH \cdot 5H_2O$	40/41 (1990) 906
Kuroda, C., see N. Nakagawa	40/41 (1990) 411
Kusanagi, S., see A. Yasuda	40/41 (1990) 476
Kushida, T., see M. Nagai	40/41 (1990) 107
Kushima, K., K. Shibata and M. Naito, Measurement of the oxygen partial pressure in the blast furnace raceway for the Si transfer reaction analysis	40/41 (1990) 743
Kuwano, J., M. Asano, K. Shigehara and M. Kato, Ambient temperature solid-state oxygen sensor using fast ion conductors, $PbSnF_4$ and Ag_6WO_4	40/41 (1990) 472
Kuwano, J., Silver ion conducting glasses and some applications	40/41 (1990) 696
Lain, M.J., see Y. Kaga	40/41 (1990) 1000
Lain, M.J., see K. Tsukamoto	40/41 (1990) 1003
Lane, C., G.C. Farrington, J.O. Thomas and M.A. Zendejas, Molecular dynamics simulation of ion transport in $Na^+ \cdot Ba^{2+} \cdot \beta$ -alumina	40/41 (1990) 53
Lauer, U., see J. Maier	40/41 (1990) 463
Lebrun, N., M. Lévy and J.L. Souquet, Electronic conductivity in glasses of the $TeO_2 \cdot V_2O_5 \cdot MoO_3$ system	40/41 (1990) 718
Lévy, M., see N. Lebrun	40/41 (1990) 718
Li, S.-C., see Z.-X. Lin	40/41 (1990) 59
Li, X. and C. Kuo, A method for detecting mobile cation species and studying ion transport in solids	40/41 (1990) 236
Liaw, B.Y. and W. Weppner, Low temperature limiting-current oxygen sensors using tetragonal zirconia as solid electrolytes	40/41 (1990) 428
Lichkova, N.V., see S.I. Bredikhin	40/41 (1990) 180
Lin, F. and W. Wang, Electrochemistry behaviors of solid state electrolyte on Zn-montmorillonite	40/41 (1990) 131
Lin, F.-L., see W.-L. Wang	40/41 (1990) 125
Lin, J., see L. Yang	40/41 (1990) 616
Lin, Z.-X., H.-J. Yu, S.-B. Tian and S.-C. Li, Phase relationship, electrical conductivity and crystal chemistry of $Na_{3+x}Zr_{2-x}Yb_xSi_2PO_{12}$ system	40/41 (1990) 59
Lin, Z.-X., see Z.-Y. Wen	40/41 (1990) 91
Liu, Q., X. Sun and W. Wu, A new SO_2/SO_3 sensor with Ag_2SO_4 -based electrolyte	40/41 (1990) 456
Liu, Q., see L. Yang	40/41 (1990) 616
Liu, Q., see S. An	40/41 (1990) 750
Liu, Q., see W.L. Worrell	40/41 (1990) 761
Liu, Y., see S. Kikkawa	40/41 (1990) 553
Liu, Y.D., see L.S. Yang	40/41 (1990) 967
Löbert, A., see N. Nicoloso	40/41 (1990) 320
Lorenz, W.J., see A. Pinkowski	40/41 (1990) 822
Lucier, G., see A. Belzner	40/41 (1990) 519
Maass, P., see A. Bunde	40/41 (1990) 187
Machida, N., R. Fuchida and T. Minami, Preparation and lithium intercalation properties of rapidly quenched glasses in the system $Fe_2O_3 \cdot V_2O_5$	40/41 (1990) 589
Mackenzie, M.A., see M.D. Ingram	40/41 (1990) 671
Maeda, H., see A. Yoshiasa	40/41 (1990) 341

Maeda, H., A. Yoshiasa, K. Koto and T. Ishii, EXAFS study on anharmonic vibrations in CuBr	40/41 (1990) 345
Magara, M., T. Tsuji and K. Naito, A Mössbauer effect study of fast ionic diffusion of iron telluride	40/41 (1990) 284
Magistris, A., see K. Singh	40/41 (1990) 714
Maier, J., U. Lauer and W. Göpel, Gas sensitivity of AgCl interfaces	40/41 (1990) 463
Maier, J., P. Murugaraj and G. Pfundtner, Defect chemistry and anisotropic transport in $\text{YBa}_2\text{Cu}_3\text{O}_{6-\delta}$	40/41 (1990) 802
Maier, J. and P. Murugaraj, The effect of heterogeneous doping on heterogeneous catalysis: Dehydrohalogenation of tertiary butyl chloride	40/41 (1990) 1017
Mairesse, G., see F. Abraham	40/41 (1990) 934
Mannari, I., see K. Takahashi	40/41 (1990) 224
Mari, C.M., see M. Catti	40/41 (1990) 900
Mariotto, G., M. Montagna and F. Rossi, A comparative analysis of the luminescence of the Cr^{3+} ion in sodium β - and β'' -alumina crystals	40/41 (1990) 328
Mariotto, G., E. Cazzanelli and A. Wague, Raman spectroscopy of lead-containing β'' -alumina crystals	40/41 (1990) 334
Mariotto, G., see M. Catti	40/41 (1990) 900
Maruthamuthu, P., see N. Gogulamurali	40/41 (1990) 993
Matayoshi, N., N. Miura and N. Yamazoe, New type biosensor using solid electrolyte	40/41 (1990) 440
Matsui, N. and M. Takigawa, Impedance spectroscopy on YSZ with iron oxide as additive	40/41 (1990) 926
Matsu, T., T. Hoshikawa and K. Naito, Oxidation of simulated fission-produced noble metals and alloy	40/41 (1990) 996
Matsuoka, M., see M. Mochizuki	40/41 (1990) 746
Matsuoka, M., see T. Ogura	40/41 (1990) 779
Matsuoka, T., see S. Kambe	40/41 (1990) 843
Matsushima, T., Y. Ichikawa, M. Yoshida, H. Adachi, K. Setsune and K. Wasa, Formation of artificially layered superconducting Bi-Sr-Ca-Cu-O thin films by multitarget sputtering	40/41 (1990) 825
Matsuyama, T., see T. Awano	40/41 (1990) 324
Maue, T., see K. Funke	40/41 (1990) 275
Mayne, J., Y. Saito, H. Kageyama, K. Ado, T. Asai and O. Nakamura, Ionic conductivity of $\text{Na}_2\text{Zr}_2\text{Si}_3\text{O}_{12}$ dispersed with PZT	40/41 (1990) 67
Mayne, J., see Y. Saito	40/41 (1990) 72
McLean, A., Sensor aided process control in iron and steelmaking	40/41 (1990) 737
Mellander, B.-E., see P.W.S.K. Bandaranayake	40/41 (1990) 31
Mellander, B.-E., B. Granéli and J. Roos, Ionic conductivity of single crystal LiNaSO_4	40/41 (1990) 162
Menetrier, M., see C. Delmas	40/41 (1990) 560
Menne, A. and W. Weppner, Selectivity, response time and chemical aspects of gas sensitive AgCl layers for gas sensors	40/41 (1990) 468
Mercurio, D., see C. Follet-Houttemane	40/41 (1990) 938
Messina, R., see J.P. Pereira-Ramos	40/41 (1990) 970
Messina, R., see J.P. Pereira-Ramos	40/41 (1990) 974
Michel, C., see B. Raveau	40/41 (1990) 785
Michihiro, Y., T. Kanashiro, Y. Kishimoto, T. Ohno and A. Kojima, Ultrasonic properties of Ag_3Si	40/41 (1990) 205

Michihiro, Y., see T. Kanashiro	40/41 (1990) 308
Middleton, P.H., see B.C.H. Steele	40/41 (1990) 388
Miida, R. and M. Tanaka, Local ordering of anions in α -Ag ₂ S _{1-x} Te _x	40/41 (1990) 362
Minami, T., see N. Machida	40/41 (1990) 589
Minami, T., see M. Tatsumisago	40/41 (1990) 828
Mindjov, K., see G. Staikov	40/41 (1990) 103
Mitsuhashi, T., see Y. Fujiki	40/41 (1990) 136
Mitsuishi, A., see T. Hattori	40/41 (1990) 99
Miura, N., see N. Matayoshi	40/41 (1990) 440
Miura, N., K. Kanamaru, Y. Shimizu and N. Yamazoe, Use of oxide electrodes for proton-conductor gas sensor	40/41 (1990) 452
Miyamura, H., see N. Kuriyama	40/41 (1990) 906
Miyauchi, K., see N. Sugii	40/41 (1990) 819
Miyazaki, M., see S. Kikkawa	40/41 (1990) 553
Mizusaki, J., see A. Sawata	40/41 (1990) 415
Mochizuki, M., M. Matsuoka and R. Fujiwara, Improvement in response of commercialized oxygen sensor	40/41 (1990) 746
Momoda, L.A., see J.O. Thomas	40/41 (1990) 63
Momura, K., see S. Ikeda	40/41 (1990) 79
Monma, A., see K. Tsukamoto	40/41 (1990) 1003
Montagna, M., see G. Mariotto	40/41 (1990) 328
Mori, M., see T. Kawada	40/41 (1990) 402
Moriga, T., S. Emura, A. Yoshiasa, S. Kikkawa and F. Kanamaru, X-ray and Raman study on coordination states of fluorite- and pyrochlore-type compounds in the system ZrO ₂ -Gd ₂ O ₃	40/41 (1990) 357
Moritani, M., see K.S. Goto	40/41 (1990) 758
Mukaida, K., see T. Itoh	40/41 (1990) 620
Müller, W., see M.D. Ingram	40/41 (1990) 671
Munshi, M.Z.A., see P.S.S. Prasad	40/41 (1990) 959
Murugaraj, P., see J. Maier	40/41 (1990) 802
Murugaraj, P., see J. Maier	40/41 (1990) 1017
Nagai, J., Advances in research and applications of electrochromic smart windows	40/41 (1990) 383
Nagai, M., T. Kushida and T. Nishino, Effect of water vapor on the conductivity of porous Na β / β' -Al ₂ O ₃ ceramics	40/41 (1990) 107
Nagashima, K. and T. Hobo, Electrochemical gas sensor using PEO electrolyte	40/41 (1990) 480
Nagatsuka, T., see C. Furuta	40/41 (1990) 776
Naito, K., see M. Magara	40/41 (1990) 284
Naito, K., see T. Matsui	40/41 (1990) 996
Naito, M., see K. Kushima	40/41 (1990) 743
Naitoh, H., see H. Arashi	40/41 (1990) 539
Nakagawa, N., C. Kuroda and M. Ishida, A new equivalent circuit for Pt/YSZ of a solid oxide electrolyte fuel cell: Relation between the model parameters and the interface characteristics	40/41 (1990) 411
Nakajima, A., see H. Yugami	40/41 (1990) 316
Nakajima, T., see R. Yazami	40/41 (1990) 557
Nakajima, T., see Y. Kaga	40/41 (1990) 1000

Nakajima, T., see K. Tsukamoto	40/41 (1990) 1003
Nakamura, O., see Y. Saito	40/41 (1990) 34
Nakamura, O., see J. Mayne	40/41 (1990) 67
Nakamura, O., see Y. Saito	40/41 (1990) 72
Nakamura, O., see H. Kageyama	40/41 (1990) 350
Nakamura, T., see T. Atake	40/41 (1990) 572
Nakanishi, N., see T. Shigematsu	40/41 (1990) 799
Nakao, Y., see Y. Ikuma	40/41 (1990) 258
Nanba, T., see A. Kishimoto	40/41 (1990) 903
Nardella, N., see S.P.S. Badwal	40/41 (1990) 878
Nariki, S., S. Ito, K. Kozawa, T. Uchida and N. Yoneda, Crystal structure of Cd stabilized $K^+-\beta^-$ -ferrite with β'' -alumina structure	40/41 (1990) 95
Nariki, S., see H. Kawase	40/41 (1990) 448
Natsuhaba, M., T. Uchida and M. Wakiura, Electrical conductivity of the CaF_2-NaF system	40/41 (1990) 874
Nicoloso, N., A. Löbert, W. Weppner and A. Rabenau, Opto-electrochemical study of minority charge carriers in YSZ	40/41 (1990) 320
Nishino, T., see M. Nagai	40/41 (1990) 107
Niwa, T., see T. Saito	40/41 (1990) 499
Noh, D.Y., see C. Delmas	40/41 (1990) 563
Nojiri, T., see K. Yamashita	40/41 (1990) 48
Norby, T., Proton conduction in oxides	40/41 (1990) 857
Norton, J.C., see D. Teeters	40/41 (1990) 648
Nowogrocki, G., see F. Abraham	40/41 (1990) 934
Ogata, N., see Y. Yamaguchi	40/41 (1990) 628
Ogata, N., see Y. Kato	40/41 (1990) 632
Ogumi, Z., see Y. Uchimoto	40/41 (1990) 624
Ogura, T., M. Matsuoka and R. Fujiwara, Development of silicon sensor for hot metal using thermal electromotive force method	40/41 (1990) 779
Ohachi, T., see Y. Fujiki	40/41 (1990) 136
Ohachi, T., see M. Watanabe	40/41 (1990) 139
Ohachi, T., see S. Yoshikado	40/41 (1990) 142
Ohachi, T., see Y. Onoda	40/41 (1990) 147
Ohno, H., see N. Kobayashi	40/41 (1990) 491
Ohno, H., N. Kobayashi, S. Takeoka, H. Ishizaka and E. Tsuchida, Larger cations can move faster in solid polymer electrolytes	40/41 (1990) 655
Ohno, T., see Y. Michihiro	40/41 (1990) 205
Ohno, T., see T. Kanashiro	40/41 (1990) 308
Ohno, Y., see Y. Kaga	40/41 (1990) 1000
Ohno, Y., see K. Tsukamoto	40/41 (1990) 1003
Ohsaka, T., see M. Ishii	40/41 (1990) 150
Ohtani, T., High temperature thermoelectric power of $LnBa_2Cu_3O_{7-y}$ and $(Bi-Pb)_2Sr_2Ca_2Cu_3O_y$	40/41 (1990) 840
Ohtsuka, H., S. Okada and J. Yamaki, Solid state battery with $Li_2O-V_2O_5-SiO_2$ solid electrolyte thin film	40/41 (1990) 964
Oi, J., see T. Kudo	40/41 (1990) 567

Okada, S., see H. Ohtsuka	40/41 (1990) 964
Okamura, H., see T. Hattori	40/41 (1990) 99
Okamura, H. and T. Hattori, Luminescence spectra of Cr ³⁺ in Na _{1-x} K _x β-alumina crystals	40/41 (1990) 118
Okazaki, H. and F. Tachibana, A cooperative motion of cations in α-Ag ₂ Te	40/41 (1990) 171
Okazaki, H., see M. Aniya	40/41 (1990) 209
Okazaki, H., see M. Kobayashi	40/41 (1990) 300
Okazaki, H., see M. Kobayashi	40/41 (1990) 303
Omari, M., M. Drache, P. Conflant and J.C. Boivin, Anionic conduction properties of the fluorite-type phase in the Bi ₂ O ₃ -Y ₂ O ₃ -PbO system	40/41 (1990) 929
Onoda, Y., see Y. Fujiki	40/41 (1990) 136
Onoda, Y., see S. Yoshikado	40/41 (1990) 142
Onoda, Y., M. Watanabe, Y. Fujiki, S. Yoshikade, T. Ohachi and I. Taniguchi, NMR study of the one-dimensional ionic conductor $A_x\text{Ga}_8\text{Ga}_{8+x}\text{Ti}_{16-x}\text{O}_{56}$ ($A=\text{Rb}, \text{Cs}$). II	40/41 (1990) 147
Onoda, Y., see S. Horiuchi	40/41 (1990) 832
Onou-ye, T., see K.S. Goto	40/41 (1990) 770
Opila, E., see H.L. Tuller	40/41 (1990) 790
Orliukas, A., R. Vaitkus, A. Kezionis and S. Aukselis, Electric conductivity, dielectric permittivity and Raman scattering spectra of Li ₃ Fe ₂ (PO ₄) ₃ single crystals	40/41 (1990) 158
Orliukas, A., see R. Vaitkus	40/41 (1990) 922
Oshima, Y., see K. Ishikawa	40/41 (1990) 612
Owada, H., see K. Yamashita	40/41 (1990) 918
Owens, B.B., see P.S.S. Prasad	40/41 (1990) 959
Park, S.J., see M.C. Kim	40/41 (1990) 239
Passerini, S., see F. Croce	40/41 (1990) 375
Pereira-Ramos, J.P., R. Messina, S. Bach and N. Baffier, Influence of the synthesis via a sol-gel process on the electrochemical lithium and sodium insertion in β-Na _{0.33} V ₂ O ₅	40/41 (1990) 970
Pereira-Ramos, J.P., R. Messina and J. Perichon, A kinetic study of electrochemical lithium insertion into vanadium pentoxide in molten dimethylsulfone at 150°C	40/41 (1990) 974
Perera, W.G., see J.L. Souquet	40/41 (1990) 595
Perichon, J., see J.P. Pereira-Ramos	40/41 (1990) 974
Petersen, J., see W. Dieterich	40/41 (1990) 184
Petersen, J., see A. Bunde	40/41 (1990) 187
Pfundtner, G., see J. Maier	40/41 (1990) 802
Pinkowski, A., W.J. Lorenz, G. Saemann-Ischenko and M.W. Breiter, Low-temperature studies of the interface high T_c superconductor/Ag β"-alumina	40/41 (1990) 822
Poulsen, F.W., J.B. Bilde-Sørensen, K. Ghanbari-Ahari, G.G. Knab and M. Hartmanová, Oxygen ion conduction in ternary zirconia mixtures: Effect of SrO on MgSZ	40/41 (1990) 947
Prasad, G., see S. Chandra	40/41 (1990) 651
Prasad, P.S.S., M.Z.A. Munshi, B.B. Owens and W.H. Smyrl, Ambient temperature solid polymer electrolyte devices	40/41 (1990) 959
Provost, J., see B. Raveau	40/41 (1990) 785

Rabenau, A., see N. Nicoloso	40/41 (1990)	320
Radhakrishnan, K., see B.V.R. Chowdari	40/41 (1990)	680
Radhakrishna, S., see R.V.G.K. Sarma	40/41 (1990)	483
Raveau, B., C. Michel, J. Provost and M. Hervieu, The nature and the role of rock salt-type layers in superconductive layered copper oxides	40/41 (1990)	785
Rino, J.P., see P. Vashishta	40/41 (1990)	175
Roman, H.E., see W. Dieterich	40/41 (1990)	184
Roman, H.E., see A. Bunde	40/41 (1990)	187
Roman, H.E., see A. Bunde	40/41 (1990)	192
Roos, J., see B.-E. Mellander	40/41 (1990)	162
Rossi, F., see G. Mariotto	40/41 (1990)	328
Rotman, S.R. and H.L. Tuller, Ionic conduction in yttrium aluminum garnet	40/41 (1990)	893
Rudkin, R.A., see B.C.H. Steele	40/41 (1990)	388
Sadaoka, Y., see H. Aono	40/41 (1990)	38
Saemann-Ischenko, G., see A. Pinkowski	40/41 (1990)	822
Saito, M., H. Takahashi and S. Tamaki, Site energy differences of $(Ag_xCu_{1-x})Br$	40/41 (1990)	18
Saito, N., see C. Furuta	40/41 (1990)	776
Saito, T., Y. Ushio, M. Yamada and T. Niwa, Properties of tantalum oxide thin film for solid electrolyte	40/41 (1990)	499
Saito, Y., T. Asai, K. Ado, H. Kageyama and O. Nakamura, Ionic conductivity of Li^+ ion conductors, $Li_{4.2}M_xSi_{1-x}O_4$ ($M: B^{3+}, Al^{3+}, Ga^{3+}, Cr^{3+}, Fe^{3+}, Co^{2+}, Ni^{2+}$)	40/41 (1990)	34
Saito, Y., see J. Mayne	40/41 (1990)	67
Saito, Y., J. Mayne, K. Ado, Y. Yamamoto and O. Nakamura, Electrical conductivity enhancement of $Na_4Zr_2Si_3O_{12}$ dispersed with ferroelectric BaTiO ₃	40/41 (1990)	72
Saito, Y., see H. Kageyama	40/41 (1990)	350
Sakaguchi, I., see K. Gomyo	40/41 (1990)	773
Sakai, N., T. Kawada, H. Yokokawa, M. Dokiya and T. Iwata, Thermal expansion of some chromium deficient lanthanum chromites	40/41 (1990)	394
Sakai, N., see H. Yokokawa	40/41 (1990)	398
Sakai, N., see T. Kawada	40/41 (1990)	402
Sakai, T., see N. Kuriyama	40/41 (1990)	906
Sakuma, T., K. Shibata and S. Hoshino, Low-energy excitation in copper ion conductors	40/41 (1990)	337
Samulionis, V., see R. Vaitkus	40/41 (1990)	922
Sandberg, M., see S. Schantz	40/41 (1990)	645
Sanui, K., see Y. Yamaguchi	40/41 (1990)	628
Sanui, K., see Y. Kato	40/41 (1990)	632
Sarma, R.V.G.K. and S. Radhakrishna, Silver borotungstate glasses: New electrolyte for solid state electrochemical cell	40/41 (1990)	483
Sasabe, M., see K.S. Goto	40/41 (1990)	758
Sasabe, M., see K.S. Goto	40/41 (1990)	770
Sasabe, M., see C. Furuta	40/41 (1990)	776
Sasaki, T., see Y. Fujiiki	40/41 (1990)	136
Sato, H., Theoretical background for the mixed alkali effect	40/41 (1990)	725
Sawano, M., see T. Setoguchi	40/41 (1990)	502

Sawata, A., K. Tsuneyoshi, J. Mizusaki and H. Tagawa, Oxygen chemical potential profile in a solid oxide fuel cell and simulation of electrochemical performance	40/41 (1990) 415
Schaefer, G.W., A. van Zyl and W. Weppner, Direct synthesis of divalent beta alumina and related phases	40/41 (1990) 154
Schantz, S., see M. Kakihana	40/41 (1990) 641
Schantz, S., M. Kakihana and M. Sandberg, NMR study of a poly(propylene oxide)-NaCF ₃ SO ₃ polymer electrolyte	40/41 (1990) 645
Schmalzried, H., see Y. Ueshima	40/41 (1990) 232
Schmeißer, D., see H.-D. Wiemhöfer	40/41 (1990) 421
Schoonman, J., see D.J. Vischjager	40/41 (1990) 810
Schreiber, M., see A. Belzner	40/41 (1990) 519
Schwartzbach, H., see J.J. Bentzen	40/41 (1990) 942
Scrosati, B., see F. Croce	40/41 (1990) 375
Secco, E.A., see U.M. Gundusharma	40/41 (1990) 676
Selvaggi, A., see F. Croce	40/41 (1990) 375
Sengas, J., see C. Delmas	40/41 (1990) 560
Setoguchi, T., see T. Inoue	40/41 (1990) 407
Setoguchi, T., M. Sawano, K. Eguchi and H. Arai, Application of the stabilized zirconia thin film prepared by spray pyrolysis method to SOFC	40/41 (1990) 502
Setsune, K., see T. Matsushima	40/41 (1990) 825
Shan, Z.Q., see L.S. Yang	40/41 (1990) 967
Sheng, C., see L. Chen	40/41 (1990) 495
Shibata, K., see T. Sakuma	40/41 (1990) 337
Shibata, K., see K. Kushima	40/41 (1990) 743
Shigehara, K., see J. Kuwano	40/41 (1990) 472
Shigematsu, T. and N. Nakanishi, Effect of vacuum calcination and subsequent oxidation on the superconducting properties of YBa ₂ Cu ₃ O _x	40/41 (1990) 799
Shima, H., see K. Wakamura	40/41 (1990) 331
Shimizu, Y., see N. Miura	40/41 (1990) 452
Shimojo, H., see M. Kobayashi	40/41 (1990) 303
Shin, S., H.H. Huang, M. Ishigame and H. Iwahara, Protonic conduction in the single crystals of SrZrO ₃ and SrCeO ₃ doped with Y ₂ O ₃	40/41 (1990) 910
Shin-ya, Y., see K. Gomyo	40/41 (1990) 773
Shirasaki, S., see M.C. Kim	40/41 (1990) 239
Shoda, K., see S. Horiuchi	40/41 (1990) 832
Shue, S.L. and H.L. Tuller, Lithium ion transport in Li ₂ O-LiCl-CaO-B ₂ O ₃ glasses	40/41 (1990) 693
Shukla, A.K., see K. Funke	40/41 (1990) 275
Sigaryov, S.E., see A.K. Ivanov-Shits	40/41 (1990) 76
Singh, K., see S.S. Bhoga	40/41 (1990) 27
Singh, K., see V.K. Deshpande	40/41 (1990) 689
Singh, K., G. Chiodelli and A. Magistris, Ionic conductivity and thermal behaviour of Ag ₂ O-P ₂ O ₅ -MoO ₃ glasses	40/41 (1990) 714
Singh, K. and S.S. Bhoga, On the dispersion of ionically conducting glass into the Li ₂ SO ₄ -Li ₂ CO ₃ eutectic composite system	40/41 (1990) 1025
Skaarup, S., see K. West	40/41 (1990) 585
Skaarup, S., K. West, P.M. Julian and D.M. Thomas, Mixed phase solid electrolytes with nonconducting polymer binder	40/41 (1990) 1021
Skou, E., see J. Kjær	40/41 (1990) 121

Skrtskij, V., see R. Vaitkus	40/41 (1990) 922
Smyrl, W.H., see P.S.S. Prasad	40/41 (1990) 959
Sobolev, B.P., see L.N. Demianets	40/41 (1990) 836
Souquet, J.L. and W.G. Perera, Thermodynamics applied to ionic transport in glasses	40/41 (1990) 595
Souquet, J.L., see N. Lebrun	40/41 (1990) 718
Staikov, G., B. Yancheva, K. Mindjov and P.D. Yankulov, Electrochemical behaviour of β'' -alumina in presence of oxygen	40/41 (1990) 103
Steele, B.C.H., P.H. Middleton and R.A. Rudkin, Material science aspects of SOFC technology with special reference to anode development	40/41 (1990) 388
Steele, B.C.H., see D.J. Vischjager	40/41 (1990) 810
Stevens, J.R., see S.H. Chung	40/41 (1990) 279
Stevens, J.R., see M. Kakihana	40/41 (1990) 641
Suemoto, T., Quasielastic light scattering in superionic conductors	40/41 (1990) 250
Suemoto, T., see H. Yugami	40/41 (1990) 316
Sugihara, T., see K. Ishikawa	40/41 (1990) 612
Sugii, N., K. Kanehori and K. Miyauchi, Superconducting $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ thin films grown by organometallic chemical vapor deposition	40/41 (1990) 819
Sugimoto, E., see H. Aono	40/41 (1990) 38
Suh, K.S., see C. Delmas	40/41 (1990) 560
Sun, X., see Q. Liu	40/41 (1990) 456
Sunandana, C.S., see P. Balaya	40/41 (1990) 700
Suthanthiraraj, S.A., see N. Gogulamurali	40/41 (1990) 993
Suwa, K., see T. Esaka	40/41 (1990) 544
Suzuki, T., see K. Kimura	40/41 (1990) 666
Tachibana, F., see H. Okazaki	40/41 (1990) 171
Tachibana, F., see M. Kobayashi	40/41 (1990) 300
Tachibana, F., see M. Kobayashi	40/41 (1990) 303
Tagawa, H., see A. Sawata	40/41 (1990) 415
Takada, K., see T. Kanbara	40/41 (1990) 955
Takada, K., T. Kanbara, Y. Yamamura and S. Kondo, Rechargeable solid-state batteries with silver ion conductors	40/41 (1990) 988
Takahagi, Y., see K. Tsukamoto	40/41 (1990) 1003
Takahashi, H., see M. Saito	40/41 (1990) 18
Takahashi, K., I. Mannari and T. Ishii, Computer simulation of 1-D Frenkel-Kontorova model system	40/41 (1990) 224
Takahasi, M., see S. Kambe	40/41 (1990) 843
Takarabe, K., see K. Wakamura	40/41 (1990) 331
Takeda, Y., see R. Kanno	40/41 (1990) 576
Takehara, Z., see Y. Uchimoto	40/41 (1990) 624
Takeoka, S., see H. Ohno	40/41 (1990) 655
Takigawa, M., see N. Matsui	40/41 (1990) 926
Tamaki, S., see M. Saito	40/41 (1990) 18
Tan, K.L., see B.V.R. Chowdari	40/41 (1990) 684
Tan, K.L., see B.V.R. Chowdari	40/41 (1990) 709
Tanaka, J., see M.C. Kim	40/41 (1990) 239
Tanaka, M., see R. Miida	40/41 (1990) 362

Tanase, S., see M. Greenblatt	40/41 (1990) 444
Taniguchi, I., see Y. Fujiki	40/41 (1990) 136
Taniguchi, I., see S. Yoshikado	40/41 (1990) 142
Taniguchi, I., see Y. Onoda	40/41 (1990) 147
Tanno, K., see N. Kumagai	40/41 (1990) 978
Tas, H., see F. De Schutter	40/41 (1990) 754
Tatsumisago, M., C.A. Angell, S. Tsuboi, Y. Akamatsu, N. Tohge and T. Minami, Viscosity and crystallization of quenched Bi-Ca-Sr-Cu-O glasses as high- T_c superconductor precursors	40/41 (1990) 828
Teeters, D. and J.C. Norton, Mixed-alkali effect in poly(propylene oxide)-thiocyanate salt systems	40/41 (1990) 648
Terabe, K., S. Yamaguchi, A. Imai and Y. Iguchi, Characterization of sodium β -alumina prepared by sol-gel method	40/41 (1990) 111
Terashima, T., see K. Kamigaki	40/41 (1990) 815
Terauchi, H., see K. Kamigaki	40/41 (1990) 815
Thomas, D.M., see S. Skaarup	40/41 (1990) 1021
Thomas, J.O., see C. Lane	40/41 (1990) 53
Thomas, J.O., L.A. Momoda, B. Dunn and G.C. Farrington, The relationship between structure and optical properties in the mixed-ion system $\text{Na}^+/\text{Ce}^{3+}$ β'' -alumina	40/41 (1990) 63
Thomas, J.O., see Å. Wendsjö	40/41 (1990) 659
Tian, S.-B., see Z.-X. Lin	40/41 (1990) 59
Tian, S.-B., see Z.-Y. Wen	40/41 (1990) 91
Tohge, N., see M. Tatsumisago	40/41 (1990) 828
Tomari, T., see M. Kobayashi	40/41 (1990) 300
Tomoyose, T., K. Yonashiro and M. Kobayashi, Dimensional crossover of collective modes in layered superionic conductors	40/41 (1990) 213
Torell, L.M., see M. Kakihana	40/41 (1990) 641
Torge, M., see M.D. Ingram	40/41 (1990) 671
Torres-Treviño, G., see A. Garcia	40/41 (1990) 13
Tsai, P.P., see M. Greenblatt	40/41 (1990) 444
Tsubaki, Y., see Y. Ikuma	40/41 (1990) 258
Tsuboi, S., see M. Tatsumisago	40/41 (1990) 828
Tsuchida, E., see N. Kobayashi	40/41 (1990) 491
Tsuchida, E., see H. Ohno	40/41 (1990) 655
Tsuji, T., see M. Magara	40/41 (1990) 284
Tsukamoto, K., see Y. Kaga	40/41 (1990) 1000
Tsukamoto, K., F. Uchiyama, Y. Kaga, Y. Ohno, T. Yanagisawa, Y. Takahagi, M.J. Lain, T. Nakajima and A. Monma, A new ceramics coating technique for SOFC using the ETL laser spraying process	40/41 (1990) 1003
Tsuneyoshi, K., see A. Sawata	40/41 (1990) 415
Tsutsumi, M., see S. Horiuchi	40/41 (1990) 832
Tuller, H.L., see S.L. Shue	40/41 (1990) 693
Tuller, H.L. and E. Opila, Defects and oxygen diffusion in high T_c superconductors	40/41 (1990) 790
Tuller, H.L., see S.R. Rotman	40/41 (1990) 893
Uchida, H., see T. Yajima	40/41 (1990) 914

Uchida, T., see S. Nariki	40/41 (1990) 95
Uchida, T., see M. Natsuhara	40/41 (1990) 874
Uchimoto, Y., Z. Ogumi and Z. Takehara, Ionically conductive thin polymer films prepared by plasma polymerization	40/41 (1990) 624
Uchiyama, F., see Y. Kaga	40/41 (1990) 1000
Uchiyama, F., see K. Tsukamoto	40/41 (1990) 1003
Ueshima, Y., H. Schmalzried and J. Koepke, Demixing of oxide solid solutions in oxygen potential gradients: Two-phase systems and the morphological stability of the interface	40/41 (1990) 232
Umegaki, T., see K. Yamashita	40/41 (1990) 48
Umegaki, T., see K. Yamashita	40/41 (1990) 918
Ushio, Y., see T. Saito	40/41 (1990) 499
Vaitkus, R., see A. Orliukas	40/41 (1990) 158
Vaitkus, R., A. Kezionis, V. Samulionis, A. Orliukas and V. Skritskij, Electrical and acoustical relaxation in fast ionic conductors	40/41 (1990) 922
Valenzuela, R., see J.T.S. Irvine	40/41 (1990) 220
Van Zomeren, A.A., see D.J. Vischjager	40/41 (1990) 810
Van Zyl, A., see G.W. Schaefer	40/41 (1990) 154
Vashishta, P., R.K. Kalia, G.A. Antonio, J.P. Rino, H. Iyetomi and I. Ebbsjö, Molecular dynamics study of the structure and dynamics of network glasses	40/41 (1990) 175
Vincent, C.A., see P.G. Bruce	40/41 (1990) 607
Vinke, I.C., J. Bakiewicz, B.A. Boukamp, K.J. de Vries and A.J. Burggraaf, Oxygen transport and transfer properties of erbia-stabilized bismuth oxide	40/41 (1990) 886
Vischjager, D.J., A.A. van Zomeren, J. Schoonman, I. Kontoulis and B.C.H. Steele, Ionic conductivity of ceramic superconductors	40/41 (1990) 810
Vohrer, U., see H.-D. Wiemhöfer	40/41 (1990) 433
Wague, A., see G. Mariotto	40/41 (1990) 334
Wakamura, K., K. Hirokawa, H. Shima and K. Takarabe, Phonon spectra in superionic and normal states of the layered crystal AgCrSe ₂	40/41 (1990) 331
Wakihara, M., see M. Natsuhara	40/41 (1990) 874
Wang, C., see L. Yang	40/41 (1990) 616
Wang, D.Y., Electrode reactions at the surface of oxide ionic conductors	40/41 (1990) 849
Wang, J.C., Model for lithium intercalation into TiS ₂	40/41 (1990) 548
Wang, L., see L. Chen	40/41 (1990) 705
Wang, W., see F. Lin	40/41 (1990) 131
Wang, W.-L. and F.-L. Lin, Behaviour of liquid-like conduction for solid state electrolyte on montmorillonite	40/41 (1990) 125
Wang, Z., see L. Yang	40/41 (1990) 616
Wasa, K., see T. Matsushima	40/41 (1990) 825
Watanabe, A., Is it possible to stabilize δ -Bi ₂ O ₃ by an oxide additive?	40/41 (1990) 889
Watanabe, M., see Y. Fujiki	40/41 (1990) 136
Watanabe, M., Y. Fujiki, S. Yoshikado, T. Ohachi and Y. Kudo, Defects inhibiting 1-D ionic conduction in K _x [Ga ₈ Ga _{8+x} Ti _{16-x} O ₅₆]	40/41 (1990) 139
Watanabe, M., see S. Yoshikado	40/41 (1990) 142
Watanabe, M., see Y. Onoda	40/41 (1990) 147

Watanabe, M., see Y. Yamaguchi	40/41 (1990)	628
Watanabe, M., see Y. Kato	40/41 (1990)	632
Wen, Z.-Y., Z.-X. Lin and S.-B. Tian, Preparation and ionic conduction property of polycrystalline Eu ²⁺ - β -alumina	40/41 (1990)	91
Wendsjö, Å., J.O. Thomas, G.K. Jones and G.C. Farrington, Crystallinity and thermomechanical properties of lead halide-PEO complexes	40/41 (1990)	659
Weppner, W., see G.W. Schaefer	40/41 (1990)	154
Weppner, W., see N. Nicoloso	40/41 (1990)	320
Weppner, W., Surface modification of solid electrolytes for gas sensors	40/41 (1990)	369
Weppner, W., see B.Y. Liaw	40/41 (1990)	428
Weppner, W., see A. Menne	40/41 (1990)	468
West, A.R., see A. Garcia	40/41 (1990)	13
West, A.R., see J.T.S. Irvine	40/41 (1990)	220
West, A.R., see P.G. Bruce	40/41 (1990)	293
West, A.R., see J.T.S. Irvine	40/41 (1990)	896
West, K., see B. Zachau-Christiansen	40/41 (1990)	580
West, K., B. Zachau-Christiansen, T. Jacobsen and S. Skaarup, Layered potassium vanadium oxides as host materials for lithium and sodium insertion	40/41 (1990)	585
West, K., see S. Skaarup	40/41 (1990)	1021
Wiemhöfer, H.-D., D. Schmeißer and W. Göpel, Lead phthalocyanine as a mixed-conducting electrode: Principle and application for O ₂ and NO ₂ gas sensors	40/41 (1990)	421
Wiemhöfer, H.-D., S. Harke and U. Vohrer, Electronic properties and gas interaction of LaF ₃ and ZrO ₂	40/41 (1990)	433
Wiemhöfer, H.-D., Coupling between electron and ion transport in mixed conductors	40/41 (1990)	530
Wijesekara, C.N., see M.A.K.L. Dissanayake	40/41 (1990)	23
Worrell, W.L. and Q. Liu, Development of an extended-life oxygen sensor for iron and steel melts	40/41 (1990)	761
Wu, W., see Q. Liu	40/41 (1990)	456
Wu, W., see S. An	40/41 (1990)	750
Xiao, Y., see L. Chen	40/41 (1990)	705
Xin, L., see L. Chen	40/41 (1990)	705
Xue, R., see L. Chen	40/41 (1990)	495
Xue, R., see L. Chen	40/41 (1990)	705
Yajima, T., H. Iwahara, H. Uchida and K. Koide, Relation between proton conduction and concentration of oxide ion vacancy in SrCeO ₃ based sintered oxides	40/41 (1990)	914
Yamaoka, H., see T. Awano	40/41 (1990)	324
Yamada, M., see T. Saito	40/41 (1990)	499
Yamada, S., S. Yoshida and M. Kitao, Infrared absorption of colored and bleached films of tungsten oxide	40/41 (1990)	487
Yamaga, N., see A. Yasuda	40/41 (1990)	476
Yamaguchi, S., Y. Iguchi and A. Imai, Ionic conduction in divalent hexa-aluminates and gallates with β -alumina structure	40/41 (1990)	87
Yamaguchi, S., see K. Terabe	40/41 (1990)	111
Yamaguchi, Y., S. Aoki, M. Watanabe, K. Sanui and N. Ogata, Ionic conduction of poly[γ -methoxy-tri(ethylene oxide)-L-glutamate] dissolving various alkali metal salts	40/41 (1990)	628

Yamaki, J., see H. Ohtsuka 40/41 (1990) 964
 Yamamoto, K., see K. Kamigaki 40/41 (1990) 815
 Yamamoto, O., see R. Kanno 40/41 (1990) 576
 Yamamoto, O., see T. Itoh 40/41 (1990) 620
 Yamamoto, Y., see Y. Saito 40/41 (1990) 72
 Yamamura, Y., see T. Kanbara 40/41 (1990) 955
 Yamamura, Y., see K. Takada 40/41 (1990) 988
 Yamanaka, S., K. Yoshioka and M. Hattori, Unusual ionic conductivities of hydro-thermally prepared $M\text{Zr}_2(\text{PO}_4)_3$ ($M=\text{Na}, \text{K}$) 40/41 (1990) 43
 Yamashita, K., T. Nojiri, T. Umegaki and T. Kanazawa, Na^+ superionic conductors of glass-ceramics in the system $\text{Na}_2\text{O}-\text{Re}_2\text{O}_3-\text{P}_2\text{O}_5-\text{SiO}_2$ ($\text{Re}=\text{rare-earth elements}$) 40/41 (1990) 48
 Yamashita, K., H. Owada, T. Umegaki, T. Kanazawa and K. Katayama, Protonic conduction in yttrium-substituted hydroxyapatite ceramics and their applicability to H_2-O_2 fuel cell 40/41 (1990) 918
 Yamazoe, N., see N. Matayoshi 40/41 (1990) 440
 Yamazoe, N., see N. Miura 40/41 (1990) 452
 Yanagisawa, T., see K. Tsukamoto 40/41 (1990) 1003
 Yancheva, B., see G. Staikov 40/41 (1990) 103
 Yang, H., R. Huq and G.C. Farrington, Conductivity in PEO-based Zn(II) polymer electrolytes 40/41 (1990) 663
 Yang, L., J. Lin, Z. Wang, C. Wang, R. Zhou and Q. Liu, Effects of plasticizers on properties of poly(ethylene oxide) complex electrolytes 40/41 (1990) 616
 Yang, L.S., Z.Q. Shan and Y.D. Liu, The characteristic of polyaniline polymer electrolyte in solid state lithium battery 40/41 (1990) 967
 Yang, S., see L. Chen 40/41 (1990) 705
 Yankulov, P.D., see G. Staikov 40/41 (1990) 103
 Yasuda, A., N. Yamaga, K. Doi and S. Kusanagi, Electrochemical characteristics of the planar electrochemical carbon monoxide sensor with a perfluorosulfonate ionomer film 40/41 (1990) 476
 Yazami, R. and T. Nakajima, The lithium diffusion into graphite intercalation compounds with vanadium and titanium fluorides 40/41 (1990) 557
 Yazami, R. and A. Hamwi, A reversible electrode based on graphite fluoride prepared at room temperature for lithium intercalation 40/41 (1990) 982
 Yazami, R., see C. Hérolde 40/41 (1990) 985
 Yokogawa, Y., see Y. Ikuma 40/41 (1990) 258
 Yokokawa, H., see N. Sakai 40/41 (1990) 394
 Yokokawa, H., N. Sakai, T. Kawada and M. Dokya, Thermodynamic analysis on interface between Perovskite electrode and YSZ electrolyte 40/41 (1990) 398
 Yokokawa, H., see T. Kawada 40/41 (1990) 402
 Yokoyama, M., see K. Kimura 40/41 (1990) 666
 Yonashiro, K., see T. Tomoyose 40/41 (1990) 213
 Yoneda, N., see S. Nariki 40/41 (1990) 95
 Yoneda, N., see H. Kawase 40/41 (1990) 448
 Yonezawa, Y., see E. Iguchi 40/41 (1990) 795
 Yoshiasa, A., see K. Koto 40/41 (1990) 288
 Yoshiasa, A., H. Maeda, T. Ishii and K. Koto, EXAFS studies on anharmonic thermal vibrations in AgI 40/41 (1990) 341

Yoshiasa, A., see H. Maeda	40/41 (1990)	345
Yoshiasa, A., see T. Moriga	40/41 (1990)	357
Yoshida, M., see T. Matsushima	40/41 (1990)	825
Yoshida, S., see S. Yamada	40/41 (1990)	487
Yoshikade, S., see Y. Onoda	40/41 (1990)	147
Yoshikado, S., see Y. Fujiki	40/41 (1990)	136
Yoshikado, S., see M. Watanabe	40/41 (1990)	139
Yoshikado, S., T. Ohachi, I. Taniguchi, M. Watanabe, Y. Onoda and Y. Fujiki, Contribution of the thermal treatment to the ionic conductivity of the one-dimensional superionic conductors $A_x\text{Ga}_8\text{Ga}_{8+x}\text{Ti}_{16-x}\text{O}_{56}$ ($A=\text{K}, \text{Rb}$)	40/41 (1990)	142
Yoshimura, M., see Y. Ikuma	40/41 (1990)	258
Yoshioka, K., see S. Yamanaka	40/41 (1990)	43
Yu, H.-J., see Z.-X. Lin	40/41 (1990)	59
Yugami, H., A. Koike, A. Nakajima, M. Ishigame and T. Suemoto, Site-selective spectroscopy of Eu^{3+} in YSZ and Y^{3+} -doped CeO_2	40/41 (1990)	316
Zachau-Christiansen, B., K. West, T. Jacobsen and S. Atlung, Lithium insertion in oxide spinels	40/41 (1990)	580
Zachau-Christiansen, B., see K. West	40/41 (1990)	585
Zendejas, M.A., see C. Lane	40/41 (1990)	53
Zhou, R., see L. Yang	40/41 (1990)	616
Zhou, T., see S. An	40/41 (1990)	750
Zurwellen, D., see K. Funke	40/41 (1990)	275

0
I

SUBJECT INDEX

2phenothiazine-3I₂ cathode, 993
Ac conductivity, 142
Acoustical relaxation, 922
Activated reaction evaporation, 815
Addition of LiX, 27
Additive coloring, 180
Adsorption, 121
Ag²⁺ center, 700
Ag β -alumina, 822
AGGTO, 142
Ag-PI cell, 993
 α -helical structure, 628
Alkali conductor, 139
Alkali metal ion, 648
Alkali metals, 563
Alkali metal salt, 655
Aluminate, 87
Amine, 563
Ammonium paratungstate, 460
Ammonium perchlorate, 651
Amorphous superionic conductor, 705
Amperometric, 472
Anharmonic vibration, 341, 345
Anionic conduction, 929
Anisotropic transport, 802
Anode material, 402, 942
Antiphase domain, 362
Apatite ceramics, 918
Attenuation coefficient, 922
Auxiliary electrode, 773, 776

β -alumina, 63, 91, 227, 328, 334
 β -alumina, 83, 87, 95, 99, 103, 107, 118, 236, 328, 754
 direct synthesis, 154
Battery, 375, 967
Binary system, 23
Biosensor, 440
Bismuth-based superconductor, 832
Bismuth cuprates, 785
Bismuth oxide, 886, 929
Bis-perfluoro-acyl-imide, 959
Blast furnace, 743, 779
Boundary layer, 27
Brownian motion
 fractional, 196

Calcium aluminate, 896
Calcium fluoride, 874

Calcium titanate, 544
Caterpillar mechanism, 300
Cathode, 993
TMAI, 483
Cathode material, 576, 589
Cell current, 822
Ceramic coating, 1003
Ceria, 942
Chalcogenide glass, 175
Charged lattice gas, 184
Charge transfer, 849
Chemical bond, 3
Chemical diffusion, 535
Chemical diffusion coefficient, 802, 974, 978
Chemisorption, 1009
Chlorine sensor, 468
Chromium sensor, 770
Clathrate, 906
Clay mineral, 125, 131
Cohesive energy, 795
Collaborate research, 758
Collective mode, 216
Color center, 324
Computer simulation, 224
Conduction mechanism, 671
 ion glass, 702
Conductivity, 34, 95, 705, 900
 enhancement, 27, 72
 measurement, 934, 938
Conductor, 444
Constant-phase-angle, 196
Continuous measurement, 761
Copper vanadate spinel, 576
Correlation factor, 184
CO sensor, 476
Cross-sensitizing, 468
Crystal growth, 83, 136
Crystallization, 828
Crystallography, 83
Crystal structure, 95, 567, 934, 938
Cumulant expansion, 341, 345
Current interruption method, 878
Cyclic voltammetry, 103, 982

Defect, 802
Defect clustering, 293
Defect formation energy, 18
Defect structure, 139, 790
Dehydrogenation, 1017

Demixing, 232
 Deuterium, 519
 Dielectric permittivity, 158
 Diffused space-charge layer, 1025
 Diffusion, 53, 167, 171, 184, 258, 300, 303
 coefficient, 284, 802
 mode, 213
 Dimensionally stable electrode, 525
 Dipping-pyrolysis, 448
 Discharge capacity, 553
 Disordered structure, 187
 Dispersant, 72
 Dispersion relation, 213
 Domain wall motion, 220
 Doping, 983
 Double layer, 266
 capacitance, 548
 Dynamical mechanical analysis, 659

 ECD, 499
 EGA, 255
 Electrical conductivity, 59, 111, 158, 239, 874
 Electrical resistivity, 840
 Electrochemical coloration, 487
 Electrochemical oxidation, 388
 Electrochemical sensor, 476
 Electrochromic, 383
 device, 491, 495
 property, 487
 Electrochromium, 375
 Electrode, 262
 activation, 878
 configuration, 886
 effect, 320
 potential, 415
 process, 103
 reaction, 849
 Electrogravimetric analysis, 255
 Electrolysis, 519
 Electron conductivity, 269, 718, 750, 802
 Electron diffraction, 362
 Electron microprobe, 236
 Energy transfer, 63
 Enzyme immobilized sensor, 440
 ESCA, 709
 ESR spectra, 700
 Ethylene oxide-propylene oxide copolymer, 612
 Europium, 91
 Eutectic composite solid electrolyte, 1025
 EXAFS, 288, 341, 345

 Far-infrared spectroscopy, 331
 Fast ion conducting glass, 671, 693, 702, 709, 714
 Fast Na⁺ conductor, 676
 Fermi-level work function, 433
 Ferrite, 448
 Fiber, 828

 Fission-produced noble metal, 996
 Fluid model, 216
 Fluorination of graphite, 982
 Fluorine doping, 832
 Fluorite, 258
 Flux growth, 136
 Frenkel-Kontorova model, 224
 FTIR, 107
 Fuel cell, 918

 Gallate, 87
 Gallotitanogallate, 142, 147, 150
 Galvanic cell, 807
 Galvanic chlorine sensor, 463
 Gas sensor, 369, 452, 480, 1009
 Gels, 111
 Gibbs energy, 807
 Glass, 595, 671, 693, 702, 718
 ceramics, 48
 conductor, 680, 684, 689
 structure, 709, 714
 Glucose sensor, 440
 Grain boundary conductivity, 942
 Grain boundary resistivity, 869
 Graphite, 557

 Heat capacity, 572
 Heterogeneous coping, 1017
 Hole concentration, 843
 Hopping motion, 200
 Hopping rate, 184
 Hot metal, 737, 773, 776, 779
 Humidity, 651
 Humidity sensor, 444, 448, 460
 Hydrogen production, 544
 Hydrothermal synthesis, 43

 Impedance
 spectroscopy, 115, 822, 926
 study, 882
 Infrared absorption, 910
 Interaction, 205
 Intercalation, 3, 557, 563
 Interface, 463
 HTSC/electrolyte, 822
 Interface morphology, 232
 Interfacial polarization, 262
 Interstitial silver ion, 266
 Ion conducting glass, 175, 689
 Ion exchange, 83, 115
 Ion hopping, 509
 Ionic bonding, 795
 Ionic conductivity, 23, 31, 38, 43, 67, 76, 83, 91, 121, 162,
 180, 227, 509, 648, 671, 684, 802, 889, 934, 938
 copper, 341
 enhancement, 1025
 lithium, 13, 375, 1021

oxide, 926
 oxygen, 810, 893
 proton, 255
 silver, 696, 709, 714, 955, 988
 Ionic conductor, 79, 906
 Ionic motion, 250, 275, 284, 308
 Ionic substitution, 59
 Ionic transport, 236, 530, 595
 Iron, 758
 Iron and steelmaking, 737, 764
 Iron oxide, 926
 Iron telluride, 284
 Irradiation (X- and Y-ray), 324
 Irreversible thermodynamics, 530
 IR spectra, 125, 705
 Isotope effects, 857

Jump relaxation, 200

KDP-ferroelectric family, 863
 KGGTO, 139

Lanthanum chromite, 394
 Larger oxide, 3
 Laser spraying process, 1003
 Lattice energy, 628
 Lead halide, 659
 Lead phthalocyanine, 421
 Li⁺ glass, 693
 Linear transport, 232
 Line-narrowing effect, 316
 Liquid-like model, 209
 LISICON, 293
 Lithiation mechanism, 576
 Lithium alloy, 525
 Lithium battery, 553, 576, 585, 589
 Lithium insertion, 580, 585, 970, 974
 Lithium intercalation, 548, 560, 589, 978, 982
 Lithium iodide, 624
 Lithium ion conductor, 13, 34, 38
 Lithium-lead blends, 754
 Lithium perchlorate, 607, 612, 632, 666, 967
 Lithium salt, 620
 Lithium sensor, 754
 Lithium sulfate, 23
 Lithium sulphate carbonate, 1025
 Lithium titanium phosphate, 38
 Lithium tungsten, 23
 Local structure, 288
 Long range interaction, 187
 Low-energy excitations, 341
 Low oxygen activity, 746
 Luminescence, 118, 316, 328

Magnesia stabilized zirconia, 942
 Magnetic impedance, 220
 Magnetoplumbite, 87

Magnetron sputtering, 825
 Mechanical properties, 375
 Mechanism, 648
 Methane, 388
 Mixed alkali effect, 227, 725
 Mixed conductor, 239, 421, 530, 535, 539, 544, 942, 1009
 Mixed former effect, 684, 689
 Mixed phase solid electrolyte, 1021
 Moisture effect, 43
 Molecular dynamics, 53, 171, 300, 303, 509
 simulation, 175
 Molten steel, 746, 761, 770
 Monte Carlo method, 224
 Monte Carlo study, 184
 Mössbauer effect, 284
 Multitarget, 825
 Multivalent cation conductor, 79

NASICON, 48, 59, 72
 related compounds, 350
 Network glasses, 175
 Neutron diffraction, 341
 glass, 702
 Niobium vanadium oxide, 978
 NMR, 147, 279, 308, 645
 Noninteracting, 167

One-dimensional conductor, 139, 142, 147, 150
 Optical phonon-plasmon mode, 213
 Oxidation, 996
 Oxidative vaporization, 996
 Oxide, 910, 914
 Oxide additives, 889
 Oxide ion conductor, 896
 Oxide spinel, 580
 Oxygen chemical potential, 415
 Oxygen diffusion, 790
 Oxygen electrode, 421
 Oxygen partial pressure, 743
 Oxygen probe, 743
 Oxygen reduction, 103
 Oxygen sensor, 428, 472, 746, 761
 Oxygen transport, 886
 Oxygen vacancy, 893

Palladium, 519
 Path probability method, 725
 Pattern recognition, 1009
 Pb β' -alumina, 115
 Percolation, 725
 Perfluorosulfonate ionomer film, 476
 Perovskite electrode, 398
 Phase transition, 31, 76, 572, 676, 807, 906
 Photo-battery, 955
 Photo EMF, 272
 Photo-induced current, 272
 Photoluminescence, 180, 266

Plasma, 624
 CVD, 553
 spray, 1000

Platinum, 411

Platinum/YSZ, 849

Point defects, 180

Polarization, 402, 878
 method, 269

Polar solvents, 121

Polyaniline, 967

Polyether, 637

Poly(ethylene glycol), 616

Poly(ethylene)glycol dimethyl ether, 663

Poly(ethylene oxide), 607, 612, 616, 620, 632, 641, 651, 659, 663, 967

Polymer, 655, 1021

Polymer electrolyte, 375, 480, 491, 624, 637, 645, 655, 985

Polyparaphenylen, 985

Poly(propylene oxide), 620, 645, 648

Poly(vinylchloride), 666

Poly[γ -methoxy-tri(ethylene oxide)-L-glutamate], 628

Potassium ferrite, 95

Powder neutron diffraction, 293

Priderite, 150

Process control, 737, 764

Proton, 444

Proton conduction, 857

Proton conductor, 131, 452, 460, 863, 910, 914, 918

Proton diffusion, 857

Proton transport mechanism, 863

PZT, 67

Quasielastic light scattering, 250

Quaternary compounds, 154

Raceway, 743

Radius of carrier, 655

Raman, 99, 150, 334, 900
 scattering, 357

Randomly blocked sites, 167

Rechargeable battery, 988

Relaxation, 244
 mode, 213

Repulsive interaction, 795

Rock salt-type layer, 785

Seebeck coefficient, 840

Self-avoiding walks, 192

SEM, 107

Sensor, 456, 696, 737

Silicon sensor, 773, 776, 779

Silicon transfer, 743

Silver borotungstate glass, 483

Silver vanadium bronze, 988

Single crystal, 83, 836
 activation energy, 162
 film, 815

Sinterability, 38

Site-selective spectroscopy, 316

Smart window, 383

Sodium aluminate-gallate, 83

Sodium β -alumina, 111

Sodium fluoride, 874

Sodium insertion, 585, 970

Sodium salt, 641

SOFc, 398, 1003
 interconnector, 394

Sol-gel
 method, 111
 process, 970

Solid electrolyte, 79, 87, 99, 456, 696, 896, 1021
 cell, 483
 sensor, 764

Solid electrolyte-electrode interface, 266

Solid oxide, 499
 fuel cell, 388, 402, 407, 411, 415, 942, 1000

Solid polymer electrolyte, 959

Solid solution, 13

Solid state
 sensor, 758

Solid state battery, 964, 988

Solid state fluoride, 472

Solubility limit, 874

Specific heat, 18

Spectroscopic study, 1009

Spin-coating, 903

Spray pyrolysis, 502

Stabilized zirconia, 411, 502, 750

Steelmaking, 758

Strontia, 942

Strontium cerate, 914

Structure, 63, 175, 702, 785
 change, 111

Superconductor, 785, 790, 799, 807, 819, 825, 828, 836, 840, 843

Superionic conductor, 53, 171, 224, 244, 250, 316, 331

Superionic glass, 279

Superlattice, 216, 303

Surface, 312
 composition, 799
 diffusion, 849
 modification, 369
 spectroscopy, 433

Synthesis, 567

Tantalum oxide, 499

Temperature dependence, 641

Ternary system stabilizer, 929

Tertiary butyl chloride, 1017

Tetragonal zirconia, 869, 882

TGA, 255

Thermal electromotive force, 779

Thermal expansion, 18, 394

Thermal shock resistance, 750

Thermal stability, 889
Thermodynamics analysis, 398
Thin film, 502, 680, 819, 825, 903, 964
Thin film sensor, 448
Time-dependent correlation functions, 192
Titanium sulfide, 548
TPD, 107
Transparency glass, 487
Transport, 187, 607
number, 632
Tri(2-methoxyethoxy)vinylsilane, 624
Tungsten bronze, 560
Tungsten oxide, 487
Tunnel structures, 567
Two-phase solid solution, 232
TZP, 428

Ultrasonic attenuation, 205, 209
Ultrasonic measurement, 705
Ultrasonic velocity, 922
Ultra-thin film, 815
Universal dynamic response, 200
 UO_2SO_4 -based compounds, 676
Uric acid sensor, 440
UV light irradiation, 666

Vacuum calcination, 799
Valence change, 539
Valence state, 239
Vanadium fluoride, 557
Vanadium pentoxide, 974
Vapor deposition
organometallic, 819

Verneuil method, 836
Vibrational spectra, 175
Viscosity, 828
Voltammetry, 131
Voltammogram, 125

Warburg impedance, 262
Weak electrolyte model, 595
Williams-Landel-Ferry type equation, 628
William-Watts function, 200
 WO_3 -based complex oxides, 567

XAFS, 350
XANES, 539
XPS, 312
X-ray
absorption, 785
diffraction, 815
structure analysis, 357

YSZ, 320
Yttria stabilized zirconia, 926
Yttria-zirconia, 312
Yttrium aluminum garnet (YAG), 893

Zeolites, 121
Zinc halide, 663
Zinc zirconium phosphate, 79
Zirconia, 428, 746, 761, 770, 773, 776, 942
Zirconium phosphate, 43

COMPOUND INDEX

α-Ag₂Te, 171, 300
 Ag₂O-P₂O₅-MoO₃ glasses, 714
 Ag₂SO₄, 456
 Ag₂(S-Te), 362
 Ag₂Te, 209
 Ag₂Si, 205
 Ag₂I_xWO₄, 472, 955, 988
 AgCl, 463, 468
 AgCrSe₂, 331
 AgI, 341
 AgI-Ag₂O-B₂O₃, 279, 700
 AgI-Ag₂O-B₂O₃-WO₃, 483
 AgI-Ag₂O-P₂O₅ system, 705, 709
 Ag_xCu_{1-x}Br, 18
 Ag_xV₂O₃, 955, 988
 Al₂Si₄O₁₀(OH)₂, 125
 APT.5H₂O, 235, 460
 α-RbAg₄I₅, 269, 272
 A_xGa₈Ga_{8+x}Ti_{16-x}O₃₆, 142, 147
 Ba-CO₃ bond, 799
 β-Ag₂Si, 275
 β-AgI, 275
 BaTiO₃, 72
 β-Ca(PO₄)₂, 444
 Bi₂Pb_{0.5}SrCa_{1.8}Cu₂O_{8+x}, 810
 Bi₂O₃, 886
 Bi₂O₃-Y₂O₃-PbO system, 929
 Bi₂Sr₂Ca₂Cu₃O₁₀, 785
 Bi₂(Sr,Ca)₄Cu₃O₈, 832
 Bi_{2-x}Pb_xSr₂Ca₂Cu₃O₈, 843
 Bi_{2-x}Pb_xSr₂Ca₂Cu₃O₇, 843
 Bi₂V₂O₁₁, 934
 Bi-Ca-Sr-Cu-O glass, 828
 (Bi,Pb)₂Sr₂Ca₂Cu₃O₈, 840
 BiPbO₂F, 938
 Bi-Sr-Ca-Cu-O, 825, 836
 (Bi-Gd)₂O₃, 288
 β-Na_{0.33}V₂O₃, 970
 Ca₁₂Al₁₄O₃₃, 896
 CaF₂, 874
 CaO, 394
 CaTi_{1-x}Fe_xO_{3-x}, 544
 CeO₂, 316
 CeO₂-Tb₂O₃, 539
 (CF_n)_m, 982
 CF_xM_y, 982
 (CH₃)₄NOH·5H₂O, 906
 Cs[Gd₃Ga_{8+x}Ti_{16-x}O₃₆], 136
 Cu_{1.8}S, 337
 Cu_{1.8}Se, 337
 CuBr, 345
 CuI, 337
 Cu-O bond, 795
 Cu-O plane, 825
 Cu₂S, 308
 Cu₂Se, 308
 δ-Bi₂O₃, 889
 Er₂O₃, 886
 Fe_{1.33}Te₂, 284
 FeMoO₄Cl, 563
 γ-LiAlO₂, 13
 GoAgI-20Ag₂O-20(0.1B₂O₃)_{0.9}WO₃, 483
 γ-RbAg₄I₅, 266
 H₂S, 468
 Ho₂TaO₇, 258
 HTaTeO₆, 900
 HTaWO₆, 900
 K₂V₂O₄, 585
 KV₂O₅, 585
 K_x[Ga₈Ga_{8-x}Ti_{16-x}O₃₆], 139
 K[Gd₃Ga_{8+x}Ti_{16-x}O₃₆], 136
 La_{1-x}Sr_xFeO_{3-x}, 239
 La_{1-x}Sr_xMnO_{3-x}, 535
 La₂O₃, 394
 (La,Ca,Sr)MnO₃, 398
 LaCoO₃, 407, 1000
 LaF₃, 433, 440
 LaMnO₃, 407
 (La,Sr)₂CuO_{4-x}, 790
 Li₂O·P₂O₅·Nb₂O₅, 680
 Li₂O·B₂O₃·P₂O₅·Li₂SO₄, 689
 Li₂O·P₂O₅·MoO₃, 684
 Li₂O-LiCl-CaO-B₂O₃, 693
 Li₂O-V₂O₅-SiO₂, 964
 Li₂SO₄-Li₂CO₃, 1023
 Li₂SO₄-Li₂CO₃ eutectic, 27
 Li₂SO₄-Li₂WO₄ system, 23
 Li₃Fe₂(PO₄)₃, 158
 Li₃Zn_{0.5}GeO₄, 293

Li_{4.2}M_xSi_{1-x}O₄, 34
 Li-Al, 525
 LiCF₃SO₃, 616
 LiClO₄, 612, 632, 666, 967
 LiCuVO₄, 576
 LiI, 624
 LiM₂O₄ (M=Ti,V,M), 580
 LiNaSO₄, 162
 LiW₃O₉F, 560
 Li_xV₂O₅, 974
 LnBa₂Cu₃O_{7-y}, 840
 MAg₄I₅ (M=K,Rb), 324
 MgMeAl₁₀O₁₇, 154
 MgO-PSZ, 750
 MgSZ, 947
 MZr₂(PO₄)₃, 43
 Na_{1-x}K_x β -alumina, 118
 Na₂O-Fe₂O₃-P₂O₅-SiO₂, 48
 Na₂SO₄-MgSO₄ system, 31
 (Na₂XO₄)_nUO₂SO₄, 676
 Na_{3+x}Zr_{2-x}Yb_xSi₂PO₁₂ system, 59
 Na₃Zr_{0.5}Co_{0.5}FeP₂O₁₂, 350
 Na₃Zr_{0.5}Fe(II)_{0.5}Fe(III)P₃O₁₂, 350
 Na₄Zr₂Si₃O₁₂, 67, 72
 Na_{4-x}M^xP₂O₉, 76
 Na_{1.67-x}Ba_x²⁺Mg_{0.67}Al_{10.33}O₁₇, 53
 NaCF₃SO₃, 641
 NaCrS₂, 572
 NaF, 874
 NaZr₂P₃O₁₂, 350
 Nb_{2-n}V_nO₃, 978
 Ni-O film, 495
 (Ni,Zn)Fe₂O₄, 220
 Pb β'' -alumina, 115
 Pb-Na- β -alumina, 334
 PbPc, 421
 PbSnF₆, 472
 PbX₂(PEO)₁₆, 659
 PEO:LiClO₄, 607
 PEO-NH₄ClO₄, 651
 PPO-NaCF₃SO₃, 645
 RbAg₄I₅, 180, 272
 Rb-Ba β -alumina, 99
 Rb[Gd_xGa_{8+x}Ti_{16-x}O₃₆], 136
 RM₅(Al/Ga)₁₀O₁₇, 87
 RM₅(Al/Ga)₁₄O₂₅, 87
 SrCeO₃, 910, 914
 SrO, 947
 SrZrO₃, 910
 Ta₂O₅, 499
 Ta₂O₅.nH₂O, 903
 TeO₂-V₂O₅-MoO₃ system, 718
 TiF²⁻₆, 557
 TiS₂, 548, 553
 V₂O₃, 974
 V₂O₅-Fe₂O₃ glass, 589
 V₆O₁₃, 959
 VF₆⁻, 557
 WO₃, 383, 487, 491, 567
 Y_{0.8}Ta_{0.2}O_{1.7}, 258
 Y₂Al₅O₁₂, 893
 Y₃TaO₇, 258
 YBa_{1.99}K_{0.01}Cu₃O_{7-x}, 810
 YBa₂Cu₃O_{7-d}, 790, 822
 YBa₂Cu₃O_{7-x}, 535, 810, 815, 819
 YBa₂Cu₃O₇, 795, 799, 802, 807
 Y-CO₃ bond, 799
 Zn-Al₂Si₄O₁₀(OH)₂, 131
 Zn-Zr-PO₄ system, 79
 (Zr-Cd)₂O₃, 357
 ZrO₂, 316, 433, 746, 761, 770, 776
 ZrO₂+ZrSiO₄, 773
 ZrO₂-CeO₂-Gd₂O₃-Y₂O₃, 942

